

PRELIMINARY CATALOG

Online Auction :: 19-21 NOV

Laboratory Equipment Surplus to the Ongoing Operations
of a Leading Global Firm!

Title	Description	EquipNet Listing #	Load Out Price
Reverse Osmosis Water Pre Treatment System	<p>Reverse Osmosis Water Pre-Treatment System System comprises of...- City water in through vertical sand filter mounted on skid- Filter tank is 1000mm diameter x 1800mm s/side- Skid footprint 860mm x 1310mm x 3100mm high- Model DM-36P- Sand filtered water through stainless steel bag filter 33.55l measurng 240mm diameter x 1000mm high- Water softening system :- Nobel automatic softener manufacture year 2010- 600mm diameter x 1300mm s/side,, overall height 2100mm- Model AS1355- Dosing Tanks x 2- Both Osmonics model CF-24- 50 Gallon with metering pumps- 1 x Grace and 1 x Pulsafeeder- CIP Tank - Plastic 800mm diameter x 1250mm high</p>	288453	to be determined
Osmonics Reverse Osmosis System	<p>Osmonics Reverse Osmosis Water System- Membranes changed 1 year ago- Controlled by Siemens COROS OP35- Through Filter to Tonka Flow Pumps 15.0 m3/hr- 15HP Motors- R/O Cells x 5, Stainless Steel 220mm diameter x 3400mm longFull working order, has been replaced by a higher capacity unit</p>	288454	to be determined
Ozone Destruction Unit	<p>Skid Mounted Ozone Destruction Unit- Aquafine Ozone Destruction UV unit in Stainless steel- 26,103 run hours- 2 x fristam centrifugal pumps- Osmonics control panel</p>	288455	to be determined
Ozone Generator	<p>Osmonics Ozone Generator with Oxygen Generator and Receiver Tank- Capacity 2 lb/day with Oxygen 1 lb/day without- Air Separator AS-20- Oxygen Generator with receiver (500mm dia x 940mm high)</p>	288456	to be determined
Ultra Filtration Rig	<p>Christ Ultra Filtration Rig Purchased in 2010? but remained used due to quality of city water8 x U/F cartridges2 x Lowara PumpsBuffer tank600mm diameter x 1500 highUF50M2 membranes</p>	288457	to be determined
Sand Filters	<p>- Composite Tanks x 2- Operating Pressure 10Bar- Mounted on plinths</p>	288458	to be determined
Finn Aqua 2000HI Steam Generator	<p>Finn-Aqua FA2000HI - Pure steam generating rigUsed to convert R/O water into pure steam for cleaning & sanitising Taken out of use due to installation of a new higher capacity unit9,000 hours useOperating pressures 8 Bar/8 BarOperating Temps 175 Degrees C / 175 Degrees This unit would require a crane for removal through the roof</p>	288459	to be determined

Orion 500 Highly Purified Water System	<p>Vivendi - Orion 500 Highly Purified Water system mounted on skidNew in 2002, never used/commissioned Mounted on skid measuring 3.0m x 1.5m Main panel measures 1m x 0.5m x 1.8m high with Siemens Simatic Multipanel, Thornton 200CR Conductivity meter (calibrated in 2010) Tandem water softening units, 27.2 Gallon, in-line filter Buffer Tank, electrically heated by Heatex B855-HF6/125A, 415v/12kW heater through Grundfos CRN1E Pump Sommer Strassburger 19l R/O stainless steel membrane housing on Pure LXM10HI-3 chemical free de-ionising unit Molesep FS20-FS-FUS0353 Fibre Filter Plastic Salt Dosing Tank 600mm dia x 1000mm high Holding tank listed separately. Please see listing 288461 Please note - all components will have to be removed from the skid to facilitate removal of the unit. It is also likely that the skid itself will need to be cut through its mid section in order to remove it from the room.</p>	288460	to be determined
Stainless Steel Jacketed Tank	<p>Stainless Steel Jacketed Tank Part of High Purity Water System - EquipNet # 288460 This tank needs to be cut & sectioned in order for it to be removed from its location</p>	288461	to be determined
Alfa Laval Highly Purified Water Ring Main System	<p>Highly Purified Water Ring Main System Comprising of...- 2 x Alfa laval M6MDFMC Heat Exchangers, 2.6 Litre, 10 Bar, 160 Degrees C.- 1 x Alfa Laval Centrifugal Pump, 11kW, Acoustic Enclosure, VSD Control Unit.- 1 x APV Centrifugal Pump Acoustic Enclosure- Burkett 1067 fluid control system- Stainless Steel drain buffer tank Plus all equipment associated with the main tank (EquipNet #288261)</p>	288462	to be determined
Shimadzu SCL 10A VP HPLC System	<p>HPLC System Comprising of: LC-6AD Liquid Chrom Pump LC-6AD Liquid Chrom Pump DGV-14A Degasser Unit FRC-10A Fraction Collector SIL-10A Auto Injector CTO-10A VP Column Oven SPD-10AV VP UV/Vis Detector - possible fault with this component - see below Includes PC with Data Card (assume no HDD) Monitor Keyboard and Mouse This unit is 110v, but comes supplied with a 220v - 110v transformer. Please Note - it is believed the SPD-10AV VP UV/Vis Detector is defective</p>	306440	100
Shimadzu Preparative LC System	<p>Preparative LC System Comprising of: FCV-130A FRC-10A Fraction Collector Possible Fault - this component does not appear to power up. SPD-10A UV Spectrophotometer CBM-10A Comms Detector Bus Module PLC LC-8A PLC LC-8A Column Stand PC (assume no HD/software) Monitor Keyboard and Mouse Comes with all associated ancillary items as listed/photographed</p>	306441	100
Isco Foxy Fraction Collector	<p>Bench Top Fraction Collection Series 622130502-84314 Capacity 1500VAC Power Requirements: 230-240V 50/60Hz 0.35 A</p>	306442	25

Therma Finnigan Surveyor Liquid Chromatograph Pump	LC Pump Includes:Firmware 1:15 Please Note - this unit has been checked and a possible fault has been identified on the degasser	306447	50
Thermo Finnigan Surveyor Auto Sampler	Auto Sampler Includes:Firmware 2:13CE Marked	306448	50
Isco Foxy Junior Fraction Collector	Fraction Collector Includes:ManualsPower SupplyPower Requirements: 234V 50/60Hz .35A	306450	25
Edwards E1M18 Vacuum Pump	Single Stage High Vacuum Pump Includes:EMF 10 Oil Mist FilterDial Gauge	306454	25
Grant Sub 36 Laboratory Water Bath	Water Bath Power Requirements: 220-240V 50/60HzCE Marked	306456	10
Advanced Chemtech 348 Omega Multi Peptide Synthesizer	Advanced Chemtech Multi Peptide Synthesizer Power Requirements 120/240V 50/60HzCE Marked	306457	50
Applied Biosystems 433 A Peptide Synthesizer	Peptide Synthesizer Macintosh Avida 700 PC (assume no HD) and PrinterPower Requirements: 230V 50Hz	306458	50
Gram Refrigeration Minus 21 Vertical Freezer	Minus 21 Deg C Vertical Single Door Freezer Power Requirements: 240V 50Hz	306460	50
Beckman GOLD HPLC	Beckman Gold HPLC System Comprising of:Programmable Solvent Delivery System 126DAD Modulec/w all associated cables/tubing	306463	50
Beckman 508 Autosampler	System Gold 508 Autosampler	306464	50
Beckman Ultrapack ODS C18 HPLC Column	HPLC Ultra Prep Column Part No 23876650.8mm x 150mm	306465	10
Modcol FMB 2050 HPLC Column	HPLC Column 2000 psiProtein and Peptide C18	306466	10
Modcol FMB 2050 HPLC Column	HPLC Column 2000 psiProtein and Peptide C18	306467	10
Beckman HPLC System	Beckman HPLC System Comprising of:126 Solvent Module SN: 396-1431168 Detector SN: 276-1553507e Autosampler SN: 6570PC (assume no HD/software) TFT Monitor, Keyboard and Mousec/w All related ancillary cables/tubing	306468	50
Thermo Electron Corporation MODULYO D-230 Freeze Dryer	Bench Top Freeze Dryer Refrigerant Charge 1.9lbs R 404-ACE MarkedNOTE: Vacuum Pump Not Included	306469	75
Thermo Electron Corporation Modulyo D-230 Freeze Dryer	Bench Top Freeze Dryer Refrigerant Charge 1.9lbs R 404-ACE MarkedNOTE: Vacuum Pump Not Included	306470	75

Savant RT 400 Refrigerated Condensation Trap	Refrigerated Water Trap Power Requirements: 240V 50Hz	306471	25
ILMVAC Vacuum Pump	Laboratory Vacuum Pump CE Marked	306472	25
Paar Physica MCR 300 Modular Compact Rheometer	Bench Top Rheometer Includes:Power SupplyPower Requirements: 90-255V 47/63Hz	306475	75
Mettler DL18 Titrator	Titration System Includes:Solvent TrayLiquid BottlesAncillary TubingAs Lotted	306476	25
Grant LTD 6G Circulating Bath	Hot and Cold Circulating Laboratory Bath Temp Range -20 to +100 Deg CPower Requirements: 220-240V 50/60Hz 8kW	306479	25
Bruker Mini Spec PC100 NMR 20Mhz	20 Mhz Bench Top NMR System Includes:Controller PLC Magnet (working ok)Yokogawa DL1520 150Mhz OscilloscopeNote: System is believed to be faulty electrically	306480	75
Jouan B3.11 Centrifuge	Bench Top Centrifuge 1:Bucket Type Unbadged RotorDiameter 320mmDigital DisplayVariable Speed	306481	25
Cecil CE 2041 Spectrophotometer	Bench Top UV Spectrophotometer 2000 SeriesPower Cable	306482	100
Millipore Peristaltic Pump	Peristaltic Pump Includes:Masterflex XX80 Pump HeadGauge and Minitan System	306483	10
Personal Chemistry Microwave Synthesizer	Microwave Assisted Chemistry Analyser c/w 14 TFT Monitor, Keyboard and Mouse	306485	50
Sedere ELS Detector/55 Evaporative Light Scattering Detector	Light Scattering Detector Includes:ManualsPower Requirements: 230v 50HzYear 1995	306487	75
Edwards Vacuum Pump	2 Stage Vacuum Pump	306489	25
Thermo Finnigan Surveyor MSQ Plus Mass Spectrometer	Mass Spectrometer Edwards E2M30 Vacuum Pump SN: 06249812c/w PC (assume no HD/software)CE Marked	306490	125
Electrolux MRL 280 Refrigerator	Single Door Vertical Refrigerator Includes:5: Glass ShelvesRefrigerant R134A 85g	306494	50
Grant QBT 2 Heating Block	Bench Top Heating Block Includes: Power CablePower Requirements 230V 50Hz	306495	10
Modulight ML 1496 Colonoscope	Custom Made Colonoscope Imaging System Comprising of:Modulight ML1496 Turnkey Laser SystemPentax FC-38LV GI Fibre ScopePentax LH-150Pc Light SourceHP PC (assume no HD) TFT Monitor LP2475W 24Triplite Isolation Transformer 230-115V 50/60HzMounted on Endocart Dedicated Trolleyw All related ancillary items and manualsNote Power requirements laser system on 115V transformer/PC Monitor 230V all 50/60Hz	306496	25

Hewlett Packard LP 2475 Monitor and Mobile Stand	24 Flat Screen Monitor on Dedicated Mobile Stand Fully Adjustable AV Stand on Castors Power Requirements: 230V 50/60Hz	306497	10
Vial Filler	Bench Top 50cc Vial Filler Includes:Foot Treadle Power Requirements: 220-230V 50/60Hz	306498	10
Harvard 683 Ventilator	Bench Top Rodent Ventilator Power Requirements: 115-230V 50/60Hz	306499	10
Harvard 683 Ventilator	Bench Top Rodent Ventilator Power Requirements: 115-230V 50/60Hz	306500	10
Lecroy 9410 Oscilloscope	Dual 150 MHz Oscilloscope Includes:Manual Power Requirements: 115-240V 45-440Hz	306503	10
Sony SVO-9500 MDP Video Cassette Recorder	VHS Analogue VCR Includes:Print Controller Power requirements: 230V 50Hz CE Marked	306504	10
Sony DHR-1000NP Digital Video Cassette Recorder	Digital VCR Includes:Manual Remote Control Power Requirements: 230V 50Hz	306505	10
Scientech M410 Rev A Laser Power Meter	Hand Held Laser Power and Energy Meter	306508	10
Mercury Lamp	Mercury Lamp Includes:Power Supply Power Requirements: 100-240V 50/60Hz	306509	10
Crystal Biotech VFI Doppler Board	Pulsed Doppler Flow Dimension System Video and Oscilloscope Control Power Requirements: 230V 50/60Hz	306510	10
Sony Trinitron PVM Monitors	14 Colour Monitors Power Requirements: 100-240V 50/60Hz 90W2 Total As Lotted	306511	10
Cannon Retinal Camera System	Fundus Retinal Camera System Includes:CF TU Tilt System CF CU Power Control Unit Power Requirements: 220V 50/60Hz 1.2kVA	306512	25
GW Instek PSP 2010 Programmable Power Supply	Power Supply Includes:Manual Selectable Input Power Carrying Handle Power Requirements: 115- 230V 50/60Hz CE Marked	306513	10
Voltcraft Power Supply	Power Supply Unit 0-30 V / 2.5A Power Requirements: 220V 50Hz 120W	306516	10
Avtech AVL Pulse Generator	2: Units Total MN: AVR-A-1-PN-C-PMN: AVL-2A-C- P Power Requirements: 115-240V 50/60Hz	306517	10
Illumination Technologies CF1000ER Light Source	150 Watt Light Source Power Requirements: 88-132 - 176-264V 50/60Hz 220W	306518	10
Cole Parmer 8502-14 Thermistor Thermometer	Digital Thermometer 5: Chemistar Inputs No PSUs Lotted	306519	10
Mitsubishi CP 50E Color Video Copy Processor	Video Printer and Recorder Power Requirements: 220-240V 50Hz	306520	10
Mitsubishi P66E Video Copy Processor	Video Processor Includes:Remote Control Box of Paper UPP-11-HA Power Requirements: 220-240V 50Hz 1A	306521	10
Single Cell Pettier Accessory	Pettier Accessory Includes:Cables Power Requirements: 220-240V 50/60Hz CE Marked	306522	10

Varian PCB-150 Water Pettier System	Pettier System Includes:PipeworkPower Requirements: 220-240V 50/60HzCE Marked	306523	10
Various Laser Accessories	Lot to Include Various Laser Ancillary Equipment As Follows:2: Thorlabs Shutter Controls1: Thorlabs Laser Diode Combi Detector1: Thorlabs ITC 5102: Thorlabs Temperature Controllers4: Protective Safety Glass1: Kabot Medical Electronic Insufflator1: National Instruments DCVs1: Mascot 8937 Power SupplyQty of Various TransducersPower Requirements: 230V 50/60HzAs Lotted	306524	10
Techne HB-1D Hybridiser	Single Door Upright Hybridiser Power Requirements: 240V 50/60Hz 750W	306525	25
Techne TE-8J Tempette Junior Water Bath	Laboratory Water Bath Includes:TE 8J ThermostatB-12 BathPower Requirements: 240V 50/60Hz 1000W	306526	10
MGW Lauda MS Water Bath	Laboratory Water Bath Includes:Lauda MS ThermostatJulabo 12B BathPower Requirements: 220-240V 50/60Hz 1.2kW	306527	10
PHILIPS M62 S Microwave	Domestic Microwave Oven Power Requirements: 240V 50/60Hz 1.2kW	306531	10
LJung Technologies GCS 600 Ex-Entra Cover Slipper	Cover Slipper Includes:Manuals2: Boxs of Consumeables (Cover Glass VWR)Power Requirements: 100-240V 50/60HzCE Marked	306533	10
Analogue and Digital Photographic Equipment (Film Cameras and Accessories)	Miscellaneous Lot of Cameras and Accessories Includes:Stella Polaroid 600 SE CameraCanon FA 35mm and M2 Motor Winder Film SLROlympus C-5050 5Mp Digital CameraKodak DC 210 Digital CameraNikon Light Chamber HG100WNikon HFX-IIA Camera System w/ FX-35WA Camera and SundriesVelbron TripodFujinon 200mm Macro LensA13x10 BMD D8 TV attachmentStaging Table w/ Various Components and Light RingHamamatsu Orca-Er Camera ControllerThor Labs Shutter ControllerBox Containing Various Filters to Include Polarizers Thor Labs Fibre Inspection ScopeMicro StripperAll Equipment in various conditions as Photographed/Lotted	306534	10
Termaks E2324V Incubator	Single Door Vertical Incubator Includes:3: ShelvesInner Glass Door	306535	75
GFL 1013 Water Bath	Laboratory Water Bath Power Requirements: 220V 50/60Hz 7A 1.5kW	306536	10
Hewlett Packard 8452A Diode Array Spectrophotometer	Spectrophotometer Includes:ManualsSoftwareDell PC (assume no HD)	306539	50
Dynatech Labs MRX Micro Plate Reader	Micro Plate Reader Includes:ManualsSoftwarePC (assume no HD)Fluid Sample PhotometerPower Requirements: 100-240V 50/60HzYear 1998	306541	25
Molecular Devices Micro Harvester 96 Cell Harvester	Cell Harvester System Includes:Manuals2: Filter Punches2: Boxs of Consumables (filters)6: Process BottlesPower Requirements: 110-240V 50/60Hz	306542	25

Termaks TS 4115 Drying Oven	Single Door Fan Assisted Drying Oven Includes:3: Shelves	306546	75
Diversfield Stainer	Bench Top Stainer Power Requirements: 100-230V 50/60Hz	306549	50
Sakura-Miles Scientific 459 Paraffin Embedding Chilling Plate	Chilling Plate Power Requirements: 240V 50Hz	306550	10
Ames Clintek 100 5772 Urine Chemistry Analyser	Chemistry Analyser Includes:ManualsThermal Paper RollDigital DisplayTouch Pad ControlPower Requirements: 220-240V 50/60Hz	306552	10
Bio Rad Gel Sequencer	Dismantled Gel Sequencing System Includes:TankCablesMiscellaneous Sundries As Lotted	306553	10
Jouan A14 Centrifuge	Bench Top Micro Centrifuge Includes:20 Port Rotor Max Speed 14000RPMManual	306558	25
Co2 Incubator	Single Door Co2 Water Jacketed Incubator Includes:7: Shelves 2: TraysManualNote: Slight Corrosion on Seal, See Images	306559	100
Thermoline Locator 8 Cryo Biological Storage System	Liquid Nitrogen Storage Container Includes:Integral Liquid Nitrogen MonitorDedicated Mobile Platform/CradleStores 1800 VialsDC Power SupplyCapacity 110 Litres	306560	10
Taylor Wharton 35 VHC Nitrogen Mobile Storage Tank	Nitrogen Dewar Capacity 35 Litres	306561	10
AND FA 200 Top Pan Balance	Top Pan Balance Includes:DC Power SupplyProtective CoverWeighing Range 1g - 200g	306574	10
Beckman Coulter Opitma XL-90 Ultra CentrifugeCentrifuge	Stand Alone Ultra Centrifuge Includes:Touch Pad ControllerBeckman 90 Ti RotorBeckman NVT 90 RotorBeckman SW 60 RotorConsumables 3: boxes containing unused glass vials	306578	200
Beckman Coulter Avanti J-25 Centrifuge	Refrigerated Stand Alone Centrifuge Includes:Beckman JA10 RotorBeckman JA14 RotorBeckman JA20 Rotor	306579	200
Beckman Coulter J2-21 M/E Centrifuge	Refrigerated Stand Alone Centrifuge Includes: 2: Beckman JA10 Rotors	306580	200
Cabinet and Contents Centrifuge Rotors	Single Glass Door Cabinet Containing Various Centrifuge Sundries Loose Items Includes:2: Unbadged Beckman J Series RotorsToolingSparesContents of Locker As Lotted	306581	25
TBS Innovations For Science Shur Mark E22 OIMWC Laboratory Cassette Labeller	Labeller Power Requirements: 120V 50/60Hz 1000W	306582	10

TBS Innovations For Science E2201 MWS TBS Shur Mark Laboratory Slide Labeller	Slide Labeller Includes:Solvent Dispenser E22 OIMWSDENoratel LF150C 1kVA Isolating TransformerPower Requirements: 115V 60Hz 1000W	306583	10
Medical Imaging AV Equipment	Medical Imaging AV Equipment Includes:HP XW8200 Workstation20 Sony Trinitron 100mhZ Double Scan Monitor PV 20M7MDEPanasonic AG7350 Video Cassette RecorderPanasonic WJ-MX30 Production Mixer2: NEC Multisync LCD MonitorsWooden AV CabinetPower Requirements: 230V 50/60Hz	306584	100
Rosengrens Fire Proof Safe	Single Door Fire Proof Safe Includes:5: Sliding Shelves1: Key	306585	100
Laborel Mini Radiac III Personal Contamination Monitor	Personal Contamination Monitor Includes:Protective Carrying CoverManualsRequires 4: AAA BatteriesAs Lotted	306587	10
Vertec Scientific Radiation Monitor	Radiation Monitor Battery Powered	306591	10
Filter Cabinet	Mobile Filtration Cabinet Includes:5: Slated Aluminium ShelvesAluminium Frame and PlexiglassHours Run: 7010On CastorsPower Requirements: 230V 50Hz	306592	25
Fuji RG II X Ray Film Processor	Medical X-Ray Film Processing Machine Includes:Westermo Access MA-12 Film Loading MountQty of Film InsertsManuals2: Pairs of Lead Lined GlovesAll related ancillary items.	306593	75
Mettler Toledo LC-P45 Balance Printer	Balance Printers Lot to Include:Mettler LC P45 PrinterMettler GA44 Printer sn: 926732 Total As Lotted	306599	10
Hettich 2075 Haematokrit 24 Centrifuge	Bench Top Centrifuge Includes:TimerManualLog BookCapacity 750nmCE Marked	306600	10
Harvard Apparatus Syringe Pump	Syringe Pump Includes:Clamp AttachmentManualPower Lead	306601	10
Harvard Apparatus Syringe Pump	Syringe Pump Includes:Clamp AttachmentManualPower Lead	306602	10
AVL OPTI 3 Blood Gas Analyser	Blood Gas Analyser Includes:ManualDedicated Carrying CaseCharging UnitPower Requirements: 16V Dc Power Supply (included)	306603	10
TIF 5500 Automatic Halogen Leak Detector	Handheld Leak Detector Includes:Testing ProbeDedicated CaseHalo 9 PPMISO 15 PPMPower Requirements: Battery Powered	306604	10

Agilent 1100 Series HPLC	Agilent 1100 Series HPLC Includes:Solvent TrayG1379A De Gassing Unit SN:DE23910664G1312A Binary Pump SN:DE23913171G1315B Diode Array Detector SN:DE30518814G1316A Colcom SN:DE32133208G1329A Auto Liquid Sampler SN:DE23910664G1330B ALS Therm SN:DE13213799c/w All Related Ancillary Cables/Tubing Please Note - there is a possible software issue with this unit. The problem relates to the HPLC interphase with the Chromeleon software	306607	75
Sanyo Medicoool MPR 213F Refrigerator and Freezer	Single Glass Door Upright Medical Fridge Freezer Small Freezer CompartmentRefrigerant R-412A (TP5R)	306609	50
Kojair KR-200 BW MSCCLII EN Safety Cabinet Class II	Biowizard Class II Safety Cabinet Includes: 4: Hepa Filters2: 610X902: MXLA 305X61X90Digital Display and Foot Control CE Marked	306612	200
New England Medical Instruments 101 Respirator	Respirator Includes:Breathe Control Ventilators MotorRelated TubingManual	306617	10
Baxter Edwards Critical Care VG S2V Vigilance Monitor	Vigilance Monitor Power Requirements 100-240V 50/60Hz 180WCE Marked	306620	10
Physio Control Nycomed Lifepak 9 LP-10P Defibrillator	Cardiac Monitor Defibrillator Includes:Testing CablesManuals	306621	25
Millar Catheters MiKro Tip	Millar Mikro-Tip Pressure Catheters Provide High Fidelity Pressure Measurements for Heart or Vascular SystemIncludes:Dedicated Storage Case	306622	10
ALM PRC 7001 Operators Light	Ceiling Mounted Surgical Operators Inspection Light Diameter 680mmFully Adjustable on Cantilever ArmPower Requirements 24V 240W	306626	200
Forma Scientific Minus 80 Deg C Laboratory Bio Chest Freezer	-80 Deg C Bio Chest Freezer Includes:Hydrograph and Spare Sheets	306627	200
Barnant Company 7523-12 Peristaltic Pump	Master Flex Peristaltic Pump	306629	10
Sartorius Stedim Micro Dismembrator	Bench Top Dismembrator Power Requirements 115-230V 50/60Hz	306632	10
Belimed WD 40 Industrial Medical Glass Washer	Stainless Steel Industrial Automated Medical Glass Washer Includes:Push Button PLC Digital DisplayStainless Steel Washing BasketsMax temperature 90 Deg CCE Marked	306633	to be determined
Belimed 3-387 Commercial Medical Washer	Stainless Steel Commercial Medical Washer Includes:Push Button PLC ControllerRinse TankWashing TankDetergent TankSpeck Pumpen Pump Set3: Dedicated Mobile Washing Racks for Various ProductsCE Marked	306634	to be determined

Dustcontrol Sawdust Dispensing Hopper	Custom Made Hopper Dispenser The hopper was used to dispense sawdust/bedding for animal cages. Complete with External Vacuum System	306636	to be determined
Cylinda Volund Nims Washer and Dryer	Domestic Washing Machine and Dryer 2: Units total used washing uniforms	306640	75
San Diego Instruments SDI Rota-Rod	Rota-Rod Used for the monitoring of fear	306641	10
Harvard Apparatus PHD 2000 Syringe Pump	Includes:ManualPower Lead	306643	10
Metabolism Cages	Metabolism Cages Constructed of Glass and Plexi GlassAperture 100mm Diameter4: Units Total	306650	10
Stalstandard Mobile Rack	Generic Stainless Steel Storage Racks on Castors 5 Barred Shelves and Top Plate5 Units Total As Lotted	306651	10
StalstandardMobile Rack	Generic Stainless Steel Storage Racks on Castors 5 Barred Shelves and Top Plate5 Units Total As Lotted	306652	10
Scanbur-BK Stainless Steel Cages	Stainless Steel Rabbit Cages Constructed of Stainless Steel Main Frame with Base Plastic TraysSingle DoorCompartment Measures 900mm x 700mm x 650mm2: Compartments Per RackCage Weight 30Kg Per Unit/Rack4: Racks Total As Lotted	306653	10
Scanbur-BK Stainless Steel Cages	Stainless Steel Rabbit Cages Constructed of Stainless Steel Main Frame with Base Plastic TraysSingle DoorCompartment Measures 900mm x 700mm x 650mm2: Compartments Per RackCage Weight 30Kg Per Unit/Rack4: Racks Total As Lotted	306654	10
Scanbur-BK Stainless Steel Cages	Stainless Steel Rabbit Cages Constructed of Stainless Steel Main Frame with Base Plastic TraysSingle DoorCompartment Measures 900mm x 700mm x 650mm2: Compartments Per RackCage Weight 30Kg Per Unit/Rack4: Racks Total As Lotted	306655	10
Scanbur-BK Stainless Steel Cages	Stainless Steel Rabbit Cages Constructed of Stainless Steel Main Frame with Base Plastic TraysSingle DoorCompartment Measures 900mm x 700mm x 650mm2: Compartments Per RackCage Weight 30Kg Per Unit/Rack4: Racks Total As Lotted	306656	10
Metabolism Cages	Stainless Steel Mobile Rabbit Cage System Includes:4: Cages Fitted To Mobile StandWater Bottle BracketPlastic BaseDimensions of Individual Cage 800mm x 800mm x 550mmWeight of Each Pod Approx 50Kgs2: Pods/Units As Lotted	306657	10
Metabolism Cages	Custom Made Mobile Rodent Metabolism Cages Includes:12: Pods Per RackWeight Per Rack Approx 25Kgs2: Racks Total	306658	10

Miele G7827 Parts Washer	Stainless Steel GMP Parts Washing Machine Includes: Push Button PLC Controller 2: Dedicated Loading Dollies 900mmx700mmx1100mm Loading Aperture Dimensions 600mm x 800mm Washing Machine has been installed/commissioned but never used.	306662	to be determined
Medi Stim Veri Q System IPXO Cardiac Vascular Surgery Quality Assurance System	Cardiac Vascular Surgery QA System Includes: HP 5652 Deskjet Printer Class (CF) Cardiac Floating Mobile Stimulation Machine Power Requirements 220-240V 50/60Hz CE Marked	306663	25
Seca Digital Floor Scale	Digital Floor Scales ACDC Power Supply Included SWL Range 200Kgs Max CE Marked	306664	10
Grant LTD 6G Hot and Cold Circulating Laboratory Bath	Circulating Variable Temp Bath Temp Range -20 to +100 Deg C Refrigerant R134A Transfer Tubing Power Requirements: 220-240V 50/60Hz 1.8kW CE Marked	306665	10
Malvern JDS Uniphase Spectrometer	Spectrometer with Malvern Argon Laser System Includes: Malvern Argon Laser 488 By JDS Uniphase Malvern Spectrometer Interface Cyonics Uniphase Remote Interface Malvern RR98 Peristaltic Pump PC (assume no HD)	306666	100
Leica CM 3600 Quantative Whole Body Auto Radiography System	Cryo Microtome with Radiography System Includes: Leica CM3600 Microtome Lead Lined Storage Cassette (films) Fuji Film Bio-Imaging Analyser Fuji BAS 2040 Film Cassette 10 total Lead Plates 5 total Custom Made Chromed Liquid Nitrogen Tooling Dell Optiplex 745 PC (assume no HD) c/w All related ancillary items as lotted	306667	2000
Packard Sample Oxidiser	Sample Oxidiser Power Requirements: 220V 50Hz 4A	306668	100
Bruker NMS Mini Spec 120 NMR	Bench Top NMR Analyser Includes: Minispec NMS 100 Magnet dims 450/550/300mm Manuals c/w All related ancillary items as lotted	306669	75
Gould Oscilloscope	Bench Top Oscilloscope Includes: Power Cable Testing Wires Power Requirements: 115-230V 45/70Hz 70W	306670	10
Perkin Elmer Autosystem XL Gas Chromatograph	GCMS System Includes: GC Autosystem XL Turbomass Upgrade Mass Spectrometry sn: 640E003302 Headspace Smapler HS40XL sn: 615N9122301 Edwards RV3 Vacuum Pump Turbo Pump Boxed Unused c/w All related Ancillary Items As Lotted	306671	200
Perkin Elmer Thermal Analysis Nitrogen Container	Stainless Steel Nitrogen Dewar on Castors Includes: Regulators 86 Litre Capacity Year: 2000	306672	10
Sanyo Medicool Refrigerator and Freezer	Medical Upright Single Glass Door Fridge Freezer No Plate for Information	306673	50
Pierce Reacting Therm Heating Module	Heating Reactor Therm Module Includes: Reacti-Vap Evaporating Unit Power Requirements: 220-240V 50/60Hz 118W	306674	10

Heating Stirring Module	Heating Stirring Module Includes:Pierce 1870 Reacti Vap Evaporating UnitPower Requirements: 220V 50/60Hz	306675	10
Packard Flo One Radio Chromotography		306679	25
Zymark Corporation Turbo Vap LV Sample Evaporator	Sample Evaporator Concentration Work StationPower Requirements: 220-230V 50/60Hz 5T 250	306680	50
Gilson Aspec XL4 Automatic Sample Preparation Unit	Automatic Sample Preparation Unit Includes:Gilson 404 Syringe PumpAuto Sampler/w All related ancillary items as lotted	306681	50
Sonics Vibra Cell VC 130 Ultra Sonic Processor Sonifier	Sonicator and Control Unit Includes:Sonifier and StandControllerPower Requirements: 230V 50/60Hz	306682	10
Heraeus Sepatech Biofuge A Centrifuge	Bench Top Centrifuge Includes:Unbadged Rotor Please Note - there is an issue with this unit maintaining a stable speed whilst in operation	306683	10
Termaks B8023 Laboratory Oven	Bench Top Laboratory Oven	306684	50
Dometic Medical Systems MF285 -20 Deg C Freezer	Single Door Vertical Medical Freezer Includes:6 Drawer CompartmentsDigital DisplaySafety/Security LockUnable to see manufacturers label	306685	50
Dometic Medical Systems MF285 -20 Deg C Freezer	Single Door Vertical Medical Freezer Includes:6 Drawer CompartmentsDigital DisplaySafety/Security Lock	306686	50
Diachema GD-4 Dianorm Equilibrium Dialyser	Equilibrium Dialyser Power Requirements: 220V 50Hz Please Note - the Motor on this unit is defective, the unit is good for spare parts or will need repair	306687	10
Hitachi Elite La Chrom HPLC System	HPLC System Includes:VWR L-2455 DADVWR OrganiserVWR L-2200 Auto SamplerVWR L-2130 PumpAlitech Degassing UnitPC (assume no HD) TFT Monitor, Keyboard and MousePrinter/w All associated ancillary items as lottedCE Marked	306690	150
Heraeus Sepatech Cryofuge 6000 Refrigerated Centrifuge	Refrigerated Stand Alone Centrifuge	306691	200
Jouan MR 14.11 Centrifuge	Refrigerated Bench Top Centrifuge	306692	25
Varian CP-3800 Gas Chromotograph	Gas Chromotograph CE Marked	306695	100
Perkin Elmer ATD 400 Automatic Thermal Desorption System	Thermal Desorption System Includes:Touch Pad Controller/PLCPower Requirements: 240V 50Hz 5A 1.2 kVA	306697	75
Fuji Film FLA 5100 Fluorescence Scanner Imaging System	Fluorescent Image Analyser/Scanner Scanning Area 400mm x 460mm3 Lasers Range 473nm-670nm	306698	100
Fuji Film BAS-2500 Photo Image Scanner	Image Scanner	306699	100

Emergency Medical Case	Medical Case and Contents Includes:Oxygen CylinderBlood Pressure MonitorManuvacQty of Syringes, Needles, IV NeedlesSteel Flight CaseAs Lotted	306705	10
Medrad PPD Mark vis Angiographic Injection System	Angiographic Mobile Injection Unit Includes:Provis AttachmentCE Marked	306706	10
Cardio Med CM 4000 Transit Time Ultra Sound Doppler Flow Meter	Class CF Ultra Sound Flow Meter Used for Measuring Blood Flow in Isolated Colonic Mesenteric ArteriesIncludes:Dedicated Medical KeyboardMonitor ManualsPower Requirements: 230V 50HzCE Marked	306707	50
Probes include IV Blood Flow and Doppler flow Meter	Various Probes To Include:IV Blood FlowDoppler flow MeterIn Dedicated Case	306708	10
Memmert BF 80 Drying Cabinet	Universal Double Door Drying Oven on Castors Double Glass Inner Doors3 Stainless Steel Perforated Shelves	306709	75
Termaks TS 8430 Drying Cabinet	Single Door Vertical Drying Cabinet Power requirements: 220V 50Hz 4500W	306710	100
Vogel PEC 2001 Cooling Plate	Cooling Plate Power Requirements: 220V 50Hz 220W	306711	10
Beckman Spenchorn R Centrifuge	Refrigerated Bench Top Centrifuge Includes:Muntosahko Trafox KLM 1500 230 Transformer Converter to 230v 50Hz	306712	50
Evaporative Light Scattering Instrument	Evaporative Light Scattering Instrument Power Requirements: 230V 50/60Hz	306713	25
Perkin elmer LC 240 Fluorescence Detector	Fluorescence Detector Power Requirements: 220-240V 50/60Hz	306714	25
Leitz 1516 Microtome	Microtome Includes:CoverPower Requirements: 230V 50Hz	306716	25
Gould Polygraph Rack	Polygraph System Mounted in Dedicated Rack Includes:Yokogawa OR 2300 Oscillographic RecorderDell Ultrascan 15FS MonitorDell Optiplex GX1 PC (assume no HD)Gould Signal Conditioner w/ following Modules4:MV X 100 MVXTMV1:Gould Pressure Processor Module1:Gould Biotach Module1:Gould DifferentiatorGould Integrator ModulePower Requirements: 230V 50/60Hz	306717	100
Vitron Incubator	Bench Top Incubator Includes:Flow Gauge110-220 50hz Powersat L10c TransformerMax Temp 180 Deg C	306718	50
Varian Cary Eclipse Fluorescence Spectrophotometer	Spectrophotometer Includes:Validation and Certification FoldersSoftware and Hardware ManualsDell GX280 PC (assume no HD)Monitor, Keyboard and MouseNOTE: Varian attachments available for this model listed on this project see Equipnet No 306522 and 306523 these are sold separately CE Marked	306729	75
Grant ZD Circulating Laboratory Water Bath	Circulating Water Bath With Grant W28 Bath and Lid, Push Button Control LED Display and Power CableCE Marked	306730	10

Pete Huber Circulating Laboratory Water Bath	Max Temp 120 Deg C	306731	10
Lauda Circulating Laboratory Water Bath	c/w Lauda M3 Bath Push Button Control LED Display CE Marked	306732	10
Grant Sub 6 Water Bath	Grant Water Bath Includes Lid	306733	10
Grant Sub 6 Water Bath		306734	10
Techne TE-8D Tempette Laboratory Bath	Thermostat and Bath w/ LED Display	306735	10
Techne TE-8J Tempette Junior Laboratory Bath	Thermostat and Bath w/ LED Display	306736	10
Heto DT Therm Laboratory Circulating Bath	Digital Display Variable Speed Temperature Range 25-56 Deg C Speed 2150 RPM	306737	10
Virtis Tempest Virtishear Sonifier	Variable Speed Sonifier Mounted on Dedicated Stand with Controller and Base Plate Includes Anchor Clamps Electrical Specs:220V; 50Hz; 1.5A	306738	10
Swelab Instruments 820S Tube Rotators	Lot to Include: Tube Rotators Electrical Specs:220-240V 50/60Hz 4: model 820S 1: 820 5 Total As Lotted CE Marked	306739	10
Bench Top Mixers	Miscellaneous Lot of MixersInclude: 2: Labinco L24 1: Fisons Whirli Mixer 1: Heidolph Reax 2000 1: IKA Vibrofix Electrical Specs: 220V; 50Hz 5 Total As Lotted	306740	10
IKA and Heidolph Bench Top Shakers	Miscellaneous Lot of Shakers Include: 2: IKA MTS 4s 2: Heidolph DSG 304 4 Total As Lotted	306741	10
Ellman Surgitron Vet-Surg Electro Surigal Instrument	Electro Surgical Instrument Includes: Foot TreadleNeedlesIndifferent PlateHand Piece Power Requirements: 110V 60Hz 140W	306742	10
HP 89052A Peristaltic Pump		306743	10
Grant BT-3 Heating Block	Includes: 3: Aluminum Blocks Variable Temperature Dial. Temperature Range 20-140 Deg CElectrical Specs: 220 240V; 50/60Hz; 600W	306744	10
Grant BT-3 Heating Block	Includes: 3: Aluminum Blocks Variable Temperature Dial. Temperature Range 20-140 Deg CElectrical Specs: 220 240V; 50/60Hz; 600W	306745	10
Techne DB 3D Dri Block	Includes: 3: Aluminum Blocks LED Display Electrical Specs: 230V; 50/60Hz; 850W	306746	10
Robbins Scientific 16021 Tube Rotator	Electrical Specs: 220-240V; 50Hz; 3W	306747	10
IKA Yellow Line Ultra Turrax Tube Drive	Includes:6:Dedicated 15ml CanistersPower SupplyManualBearingsDedicated Case 1: Box Containing 23 Spare Canisters (unused) CE Marked	306748	10

Bochem Laboratory Jacks	Miscellaneous Lot of Various Lab Jacks 3 Total As Lotted	306749	10
Volpi Light Source	Lot to Include: 1: Intralux 250HL and 150H Electrical Specs: 220V; 50/60Hz 2 Total As Lotted	306750	10
Stirrers and Hotplates	Miscellaneous Lot of Hotplates and Stirrers Include: 2: M21/1 Hotplate Stirrers 1: Labinco L34 Stirrer 1: M20/1 Stirrer 4 Units Total As Lotted	306751	10
AGA ALD-25 Nitrogen Liquid Dewar	Liquid Nitrogen Dewar -196 Deg C Capacity 25 Litre with Dedicated Sack Truck	306754	10
Radio Active Safe Storage Mobile Unit	Lead Lined Radio Active Safe Storage Mobile Unit	306755	10
Histo-Lab 1002 Water Bath	Circular Water Bath with Lid	306756	10
Harvard Homeothermic Blant Control Unit	Electrical Specs: 230V; 50Hz; 60VA	306764	10
Shiller Cardiovit ECG Unit	Digital Display Electrical Specs: 220V; 50Hz	306765	25
NBS Narcomatic Electromagnetic Flow Meter		306766	10
Lead Lined Apron	5: Lead Lined Smocks/Aprons PPE Used for Working With Radio Active and X Ray Materials Various Colours One Size Fits All 7: Bibs	306770	10
Bernstead Thermolyne Super-Nuova 3A Hotplate Stirrer	Lot to Include: 5: Hotplate Stirrers 60-400 Deg C Digital Display Push Button Control 5 Total As Lotted	306771	10
Electromantles	Lot to Include: 2: Solid State Capacity 500ml 2: EMO 250 Capacity 200ml Heating Mantles Temperature Max 450 Deg C Electrical Specs: 230V; 50/60Hz 4 Total As Lotted	306772	10
Swiss Boy 110 Lab Jacks	Lot to Include: 12: Metallic Pink Aluminum Lab Jacks with Manual Concertina Motion As Lotted	306774	10
Swiss Boy 116 Lab Jacks	Lot to Include: 6: Metallic Cyan Aluminum Lab Jacks With Manual Concertina As Lotted	306776	10
pH Meters	Lot to Include: 2: pH Meters PHM 92 and 110 ISFET With Probes	306778	10
Pierce Reacti Therm Heating Stirring Module	Includes: 3: Aluminum Heating Blocks	306779	10
CFG Prominent Pump	Capacity 1,4 l/h geg 6 Bar	306780	10
Master Mite Electric Heat Gun	Master Mite Electric Heat Gun 1: Master Mite (electricity) Electrical Specs: 220V; 50/60Hz; 500W	306781	10
IKA RW20 Mixer	Lot to Include: 3 Laboratory Mixers 60-2000 1/min As Lotted	306782	10
Cole Palmer Syringe Pump	LED Display Push Button Control CE Marked 230V 50/60Hz 1,25A	306783	10
IKA Organic Synthesizer	Electrical Specs: 220-240V; 50/60Hz	306784	25

Shakers and Tube Rotators	Lot to Include: 1: Vortex Genie 2 Vortexer 1: IKA Vibrofix VF1 Vortexer 1: Fisons Whirlimixer 1: Stuart Scientific Auto Vortex2: Swelab Tube Rotators 6 Items Total As Lotted	306785	10
Leica MS 5 Stereo Microscope	Leica MS 5 Stereo Microscope Includes: Leica 10x/21B Viewfinder (fixed objective) Wild 445546 Base/Platform Rear Projection Leica/Schott KL1500 Light Source 120V 50/60Hz Noratel IKVA Isolating Transformer	306786	25
Hotplates and Stirrers	Lot to Include: 1: IKA KMO2 1: Heidolph MR 2002 Hotplate Stirrer 2: IKA MAG Ret-G Htope Stirrers 4 Total As Lotted	306787	10
Watson Marlow 505s Peristaltic Pump	CE Marked	306788	10
Metrohm pH Meters	Lot to Include: 1: 744 pH Meter 1: 691 pH Meter Complete With Probes; Stands Power Supply	306789	10
Sonic Cleaner	Lot to Include: 1: Bandelin Sonorex RK100 Sonic Cleaner 1: IKA TER Temperlerbad Electrical specs: 230V; 50/60Hz; 1020W 2 Total As Lotted	306790	10
Buch and Holme Julabo ED Circulating Chiller	Buch and Holme ED Thermostat Circultaor Julabo F25 Resovoir CE Marked	306793	10
Edwards RV-12 Vacuum Pump	c/w EMF 10 oil Mist Filter CE Marked	306794	25
Edwards RV-5 Vacuum Pump	c/w EMF 10 oil Mist Filter CE Marked	306795	25
Metrohm 715 Dosimat	c/w Timer 649 Controller Associated Glass Ware	306796	10
Buchi R205 Rotary Evaporator	Buchi Rotavap Includes: Buchi V805 Vacuum Controller B-490 Bath Glass Condenser LED Display Power Requirements: 230V 50/60Hz 120W CE Marked	306797	50
Heidolph Diax 600 Homoginizer	Includes: Changes Parts Manual Dedicated Stand Speed 24,000 RPM	306799	10
Thermo Electron Pipettes	Lot to Include Various Pipettes as Follows: 2: Thermo 2-10ml 2: Thermo 1-5ml 3: Thermo 20-200 Micro Litres 1: Thermo 0,5-10 Mico Litres 1: Thermo 200-1000 Micro Litres 2: Finn Pipette 5-40 Micro Litres 1: Finn Pipette 200-1000 Micro Litres 1: Finn Pipette 0,5-10 Micro Litres C/w 2 x Pipette Stands 13 Total As Lotted	306800	10
Dolan Jenner Fibre Light Source	High Intensity Fibre Light Source With Optic Attachment Electrical Specs: 230V; 50/60Hz	306801	10
Cole Palmer Hot and Cold Circulating Bath	Constant Temperature Circulater Push Button Control LED Display	306802	10
Lauda CS 6-D Hot and Cold Circulating Bath	Digital Display Temperature Range -30 to +200 Deg C	306803	10
Branson B-5200 E4 Water Bath	Digital Display Push Button Control	306804	10
Nardeux Radiation Detector	Radiation Meter Detector Includes: Testing Probe Manual 220v 50Hz 5W Ac/Dc Power Supply	306805	10
Lauda MT M3 Hot and Cold Circulating Bath	Temperature Range -20 to +100 Deg C	306806	10

Hulme Martin Pulse Sealer	Manual Pulse Sealer Electrical Specs: 220-240V; 50Hz; 2A	306807	10
Polytron PT Homogonizer	c/w PCU II Controller 95/Polytron Homoginising AttachmentDedicated Stand	306808	25
Orion pH Meter	Includes: Adjustable StandProbe ManualPush Button ControlLED Display (No Power Supply)	306809	10
Fischer Spaltrrohr Distillation System	Fischer Spaltrrohr Modular Distillation System Includes: 1: 0110 Vacuum Konstanthalter 1: 0155 Spaltrrohr 1: Stirrer c/w All Related Ancillary Glassware to Include Traps, Bulbs, Condensors, Gaskets and Manual Mounted on Dedicated Mainframe w/ Trolley 220V 50Hz 150W	306810	100
Fischer Spaltrrohr HMS 300C Distillation System	Fischer Spaltrrohr HMS 300C Distillation System Includes: 1: 300C Spaltrrohr Control 1: Stirrer c/w All Related Ancillary Glassware to Include Traps, Bulbs, Condensors, Gaskets and Manual Mounted on Dedicated Mainframe Power Requirements: 220V 50Hz 440W	306811	100
Vacuubrand MZ20 Pump	Vacuum Pump Includes: Condensor/Trap Speed 1300/1560RPM	306812	25
Neslab CC-100 Cryocool Immersion Cooler	On Castors With Manual	306813	50
Electromantles EMA 1000 CE Heating Mantles	Capacity 1000ml Max Temps 450 Deg C Electrical Specs: 220-240V; 50/60Hz; 300W 2 Total As Lotted	306814	10
Waters 1525 HPLC Pump	Waters 1525 Micro Litre Binary Pump Unit Power Requirements: 120-240V 50/60Hz 200VA	306816	25
CTC Analytics 2777C Auto Sampler	Waters Auto Sampler By CTC Includes: HTC PAL Control UnitVial Storage XYC Movement Power Requirements: 100-240V 50/60Hz 36V CE Marked	306817	50
MVE Lab 50 Nitrogen Dewar	On Castors Capacity 50 Litres450mm Diameter	306818	10
Wertheim-Norm Schlift Geratebau Reactor	40 Litre Glass Reactor Unused With Cardboard Box350mm Diameter	306819	50
Isco Retriever II Fraction Collector	14 VAC Power Supply As Lotted	306820	10
Merck DN 50 DN 100 Prepbar System	Prepbar ColumnSelfpacker Temp 0 - +40 Deg C 2 Columns Mounted in Dedicates Cabinet w/ Hydraulic Pressure Gauge	306821	25
Prochrom LC 50X500 VE 150 Preperative Scale HPLC	Column Mounted on Mobile TripodWith Pressure Gauges	306822	25
Leitz Reprovit-R Still life Table	Photographic Still Life/Reproduction TableWith Camera Mount Standard Grub Screw Fitting 2: 300-600W Continuous Tungsten Lamp Heads Platform Dims 500mm x 460mm Electrical Specs: 220-250V; 50Hz: 300+600 W	306823	10
Scanbur Stainless Steel Carts	Lot to Include: 2: Scanbur St St Trollies 1: Scan Modul Grey Plastic Steel Frame Utilities Cart Dims 450mm x 750mm x 850mm	306824	10

Laboratory Furniture	Contents of Room U18 to Include: 1: Double Mirrored Door Wall Mounted Storage Unit Dims 1000mm x 350mm x 700mm 1: Double Glass Door Wall Mounted Storage Unit w/ Strip Light Dims 1200mm x 300mm x 700mm 3: White Steel Framed Melmine Top Work Benchs Dims A 2400mm x 600mm x 750mm B 2500mm x 700mm x 750mm C 1700mm x 600mm x 700mm As Lotted	306825	350
Laboratory Furniture	Contents of Room U19 to Include: 1: Double Mirrored Door Wall Mounted Storage Unit Dims 1100mm x 300mm x 700mm 4: Double Glass Door Wall Mounted Storage Unit Dims 1200mm x 300mm x 700mm 3: Four Drawer Pederstals on Castors 4: White Steel Framed Melmine Top Work Benchs 1: Work Station w/ Central Storage Dims 1500mm x 1500mm 2200mm Lotted	306826	350
Laboratory Furniture	Contents of Room U20 to Include: 1: Double Mirrored Door Wall Mounted Storage Unit Dims 1100mm x 300mm x 700mm 2: Double Glass Door Wall Mounted Storage Unit Dims 1200mm x 300mm x 700mm 4: Four Drawer Pederstals on Castors 3: White Steel Framed Melmine Top Work Benchs 1: Work Station w/ Central Storage Dims 1500mm x 1500mm 2200mm Lotted	306827	350
Laboratory Furniture	Contents of Room U22 to Include: 4: Double Glass Door Wall Mounted Units Dims 880mm x 330mm x 720mm 4: Double Glass Door Rectangular Storage Units Dims 900mm x 500mm 2100mm 2: Work Benchs w/ Intergrated Sinks Dims A 3500mm x 600mm x 950mm B 1500mm x 600mm x 900mm 1: Desk 1400mm x 600mm 740mm 3: Brown Leather Effect Labratory Stools on Castors As lotted	306828	350
Laboratory Furniture	Laboratory Furniture Contents of Room U36 Includes: 2: Brown Leather Effect Laboratory Stools on Castors 1: Work Bench w/ Intergrated Sink 2: Single Door Storage Units 1: 4 Drawer Storage Unit Dims A 1800mm x 600mm x 950mm B 1650mm x 750mm x 750mm As Lotted	306829	200
Laboratory Furniture	Contents of Room U11-U9 to Include: 2: 4 Drawer Pederstals on Castors 3: Double Glass Door Wall Mounted Units Dims 750mm x 300mm x 730mm (2) 1200mm x 340mm x 730mm 2: Work Benchs w/ Single Door Storage and Drawer Dims 1500mm x 600mm x 900mm and 1200mm x 600mm x 740mm 1: Single Door Wall Mounted Cabinet 500mm x 280mm x 2500mm As Lotted	306830	300
Laboratory Furniture	Contents of Room U39 to Include: 1: Single Door Lockable Rectangular White Melamine Storage Unit Dims 600mm x 600mm x 2200mm 1: Work Bench St St Top White Melamine Double Door and 4 Drawer Dims 1400mm x 600mm x 950mm As Lotted	306831	150

Laboratory Furniture	Contents of Room U30 to Include: 1: White Melamine Double Lockable Door Storage Unit Dims 800mm x 500mm x 2100mm 2: Oak effect Double Glass Door Storage Units Dims 900mm x 500mm x 2200mm As Lotted	306832	200
Lead Lined Storage Units	Lot to Include: Lead Lined Storage Unit WhiteUsed for the Storage of Radioactive Materials	306833	10