

Preliminary Lot Catalog

Online Auction

High Quality Bottling and Packaging Equipment from

Diageo Kilmarnock

June 4-7 :: 9:00 Local (4 AM ET)

Lot #	Title	Description
1	Bottling line	Bottling line no. 33, comprising of lots 2-12 inclusive with all associated inter connecting conveyors and Integrated Control Systems line automation controls. Left to Right Orientated Line
2	Marryat Empty bottle de-palletiser	Empty bottle de-palletiser comprising: triple chain 2,750mm pallet infeed conveyor and outfeed empty pallet roller conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; Mattyat Automation control console; Zepf UK safety enclosure, photo electric guards; Gestec Industrial 11.4m single lane bottle conveyor (80mm) 380/3/50
3	Perrier MFG-21 21-head rotary pneumatic bottle rinsing machine	3500mm single lane slatted infeed/outfeed conveyor s/n: 1755 yr: 1989
4	Krones 10-head rotary bottle aligner	10-head rotary bottle aligner, 10 bottle types (2) 37.5cl, (2) 50cl, (2) 75cl, (2) 94.7cl, (2) 1.0 litre, 415V/3/50 s/n: 722-286 yr: 1989
5	Gravfil 36-head rotary glass bottle filling machine	filler tank, flow control valves (pneumatic), safety enclosure, stainless steel 140 litre capacity returns tank with pump, Cuno 05DC1N4EPFORJT50T SP, 16l spirit inline filter. s/n: 45834 yr: 1999
6	Mapex Smart-Las Smart fill level sensor	140
7	Zalkin CA5/10 Double F2 Twin turret rotary capping machine	only fitted), turret 2: 5-head + 5 with: Zalkin ECTV stainless steel cap hopper and 3m elevator Serial No. 1652 (1996); Zalkin U750 vibratory cap feeder and aligner, Serial No. 60296 (1989); Tecno Vibrazioni stainless steel cap hopper and inclined elevator 4.2m, Serial No. 18857 (2002) and vibratory cap feeder s/n: 22439 yr: 1989
8	Erben/Congex SCX15 Capsulator with Ergen capsule magazine feed	SCX15 18-head rotary capsule neck former Serial No. 43 (1991) s/n: 20 yr: 1991
9	Krones 16-4-4/140 BR 16-head rotary labelling machine	16-head 2-label, rotary labelling machine, (front and back) s/n: 82-421 yr: 1989
10	Mapex FLO-VIS V4 Automated vision inspection system (labels)	Mapex RS type Smart pusher reject device Serial No. MOI-310, 48V s/n: MOT-170
11	Domino DPX1000 Sator Inkjet coding machine	Inkjet coding machine s/n: L012937/200E

12	James McGowan Engineering Empty case conveyor system	Empty case conveyor system comprising: 400 x 2500mm belt conveyor Serial No. 873941A, 400 x 2250mm inclined belt conveyors Serial No. 87394B, 450 x 4300mm driven roller conveyor Serial No. 873 94D, 400 x 10500mm inclined belt conveyor, 450 x 3500mm driven roller conveyor Serial No. 87394J, 400 x 8250mm belt conveyor Serial No. 87394K, 400 x 3250mm inclined belt conveyor Serial No. 87394L, 500 x 3150mm gravity roller conveyor with 3100mm case packing station and case outfeed yr: 1994
13	Bottling line 34	Bottling line 34 comprising lots 14-22 inclusive with all interconnecting conveyors and line control systems. Left to Right Orientated Line
14	Marryat Empty bottle de-palletiser	Empty bottle de-palletiser comprising: triple chain 2,750mm pallet infeed conveyor and outfeed empty pallet roller conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; Mattyat Automation control console; Zepf UK safety enclosure, photo electric guards; Gestec Industrial 8.8m single lane bottle conveyor
15	ZTI 8-head rotary bottle orientator	Siemens Simatic touch screen control and Hutton Engineering safety enclosures
16	Perrier MFLA 15/6 15-head rotary pneumatic bottle rinser/cleaner	15-head rotary pneumatic bottle rinser/cleaner, with safety enclosure s/n: 2141 yr: 1993
17	Bertolaso Monoblocco 603 Twin turret bottle capping and corking machine	Twin turret bottle capping and corking machine, each turret 3-head with stainless steel cap hopper and inclined 3350mm cap elevator, (2) vibratory cap/cork feeders, Viscose safety enclosure and Uniop control s/n: 127905001 yr: 1993
18	Krones Bonamatic 20-head rotary bottle labelling machine	20-head rotary, 3-label applicator and neck device applicator, bottle labelling machine, with bottle alignment / label tamping conveyor s/n: 728-080 yr: 1993
19	Krones Taxomatic 10-head rotary tax strip applicator	10-head rotary tax strip applicator (hot-strip and cold strip). Right to left machine. s/n: 84-024 yr: 1994
20	Protection Decoration Conditionnement PDC75 BEMTE 12 Bottle neck sleeving machine	Bottle neck sleeving machine, with infra red shrinking and forming, 415/3/50, with safety enclosure s/n: OTR438 yr: 1993
21	Kanepack F/A-Centa/Line Gluer / Taper Mark II Automatic throughfeed carton/case sealing machine	Automatic throughfeed carton/case sealing machine, with Nordson Problue 7 1022232A hot melt glue applicator Serial No. SA04F10458 s/n: 87/3956 yr: 1988
22	Empty case erecting and transfer line	Empty case erecting and transfer line comprising: Cernex 15777 automatic case erector and bottom sealer Serial No. 44645 (1993), Asset No. 39755 with Nordson Problue 7 1022232A hot melt glue applicator, Serial No. SAD3M06199, James McGowan Engineering case conveyors (1993) including 400 x 2500mm belt conveyor Serial No. 2311 93A, 400 x 2250mm inclined belt conveyor Serial No. 231193B, 450 x 4300mm driven roller conveyor Serial No. 231193C, 400 x 10500mm inclined belt conveyor, 450 x 3500mm 180 deg. driven roller conveyor, 400 x 8250mm belt conveyor Serial No. 231193J, 400 x 3250mm inclined belt conveyor Serial No. 231193K yr: 1993

25	Bottling line no. 39	Bottling line no. 39 comprising of lots 26-32 inclusive together with all interconnecting conveyors and line automation. Right to Left Orientated Line
26	OCME Automatic bottle de-palletising line	Automatic bottle de-palletising line comprising: 10m triple chain pallet infeed conveyor; OCME model 4D162L sweep depalletiser Serial No. 1.152.92 (1993), with pneumatic layer pad removal and transfer; empty pallet transfer conveyor and stacking magazine, photo-electric safety guards; 1200mm x 6300mm unscrambling conveyor; 8.8m transfer slatted conveyor and singulator; 16.7m single lane bottle conveyor; OCME control consoles, control switchgear Serial No. 1/150/92 and 1/152/90 yr: 1993
27	Krones Superbloc Combined bottle rinsing, filling, capping and labelling machine	Combined bottle rinsing, filling, capping and labelling machine comprising: Perrier type MFLA 28/8 28-head rotary bottle rinsing/cleaning machine Serial No. 2093 (1993), Asset No. 39784; 54-head rotary filling machine; Zalkin 8-head rotary capping machine with Zalkin vibratory cap feeder; Zalkin 6-head capping machine with Zalkin vibratory cap feeder; stainless steel cap hopper with 3.8m cap elevator, 5.8m and 3.5m cap transfer conveyors; Krones two label applicators (front and back) with 12-head turret, tax strip applicator with 10-head fixing/tamping turret Serial No. 734-039 Asset No. 40002 and 47046; overfill and under fill sensors, vertical belt type label tamping conveyor; cap detection system with reject device; Krones control switchgear and cabinet; Krones control console with mimic panel Asset No. 35835; delivery and vacuum pumps, (2) Cuno 05DC3N6NBF0BP80-501319-03 in-line spirit filters Serial Nos. 225136A & 225136B s/n:
28	Cermex E458 Twin case packing machine	Twin case packing machine, with infeed laned bottle conveyor 1000mm x 1625mm, reciprocating pneumatic bottle neck gripping and placement s/n: 44637 yr: 1993
29	Kanepack Mark TV Automatic hand feed case sealing machine	Automatic hand feed case sealing machine, with infeed laned bottle conveyor 1000mm x 1625mm, reciprocating pneumatic bottle neck gripping and placement s/n: 44637 yr: 1993
30	Weighing Automation Cartomat K3 Case check weigher with roller conveyor platform	automation case diverter, 15.2m sectional driven roller conveyor with 1.4m belt conveyor and 1.2m 3 band conveyor s/n: DIV4450/S 380 UDS
31	Cermex F376 Automatic carton erecting machine	1022232A hot melt glue applicator Serial No. 5A05C17457 and 6.7m driven roller conveyor incorporating 90 deg. bend s/n: 4301 yr: 1991
32	Stork Empty case transfer conveyor system	Empty case transfer conveyor system comprising: Ambaflex type SV-400-1800 spiral case elevator, 2.5m lift, Serial No. 1761-102 (2002) Stork conveyors no. 6320 (1993) empty case conveyor, approx 150m overall length including 90 deg. and 180 deg. bends
33	Glass and PET bottling line 41	Glass and PET bottling line 41 comprising of lots 34 to 40 inclusive together with all associated interconnecting conveyor and control systems.

34	Bottle de-palletising	de-palletiser with 3-chain 2750mm pallet infeed conveyor, outfeed empty pallet roller conveyor, chain driven layer elevating and transfer with pneumatic clamping; 1200mm x 4000mm unscrambling/discharge conveyor; Marryat Automation control console with Siemens Simatic panel; Zept UK safety enclosures, photo-electric safety guards; 13.2m multi-lane bottle conveyor and singulator
35	Zepf Technologies ZO-8HD 8-head rotary bottle aligner/orientator	8-head rotary bottle aligner/orientator with Vision inspection system, Ormec Man-Machine interface controls, approx. 36m infeed/outfeed single lane bottle conveyors and Hutton Engineering machine and conveyor safety enclosures s/n: ZO1162
36	Lanfranchi Autronic PET bottle conveying and unscrambling	PET bottle conveying and unscrambling comprising: 340 x 3000mm slatted stainless steel cased bottle conveyor; stainless steel cased 500 x 3700mm inclined highted belt elevator; 500mm x 18m stainless steel cased belt conveyor; Lanfranchi RC 2400 Liftmaster rotating unscrambler Serial No. 1835/572/00 (2000) Asset No. 46747 with outfeed orientator; Mapex Vision inspection system and bottle alignment Asset No. 66638; 7m single lane bottle conveyor; Lanfranchi control and switchgear cabinet
37	Glass and PET bottle rinsing, filling and capping	Glass and PET bottle rinsing, filling and capping comprising: Promcomac Gripster type 15.1R6.24.136.163 24-head rotary bottle rinser Serial No. P4924 (1997) 415/3/50 Asset No. 39901; Pneumatic Scale 30-head rotary bottle filling machine Asset No. 39006, Zalkin type CA6X6/6 480NC twin turret bottle capping machine, Serial No. 24093 (2005), turret 1: 12-head (6 glass, 6 plastic), Turret 2: 12-head potential (6 fitted) with Zalkin ECTV 400L stainless steel cap hopper and 4m cap elevator Serial No. 80295 (2005), with 2-way discharge and (2) Zalkin vibratory cap feeders, Asset No. 39950; Zalkin type CA6/360 NC 6-head rotary capping machine Serial No. 23883 (2002) with Zalkin ECTV 800L stainless steel cap hopper with 3.7m cap elevator and Zalkin vibratory cap feeder, Asset No. 46748; Domino type A200 inkjet
38	Krones Bonamatic type 1200-20-BTA 20-head rotary, 3-station labelling machine	20-head rotary, 3-station (label) labelling machine, with tax strip applicator and 12-head rotary tax strip tamping Asset No. 43666; outfeed alignment conveyor; Krones Checkmat inspection system and reject device Asset No. 35690, left to right orientation machine s/n: K734-198 yr: 2002
39	Krones Type 600-10-188 Neck sleeving machine	Neck sleeving machine, with twin sleeve reel stand, throughfeed conveyor and steam heated 2-zone neck sleeve shrink tunnel Asset No. 35933 s/n: 738-033 yr: 2002
40	Empty case conveying and transport	1800 spiral case elevator, 2.5m lift, Serial No. 2786-01 (2003) Asset No. 43595; Stork conveyor system order no. 6320 sectional overhead case conveyor system including 90 deg. and 180 deg. bends, approx. 130m overall length Asset No. 68569 with manual packing station and 25m sectional belt and driven roller full case conveyor yr: 2003
41	1.75 litre bottling line 43	Bottling line 43, 1.75litre bottling equipment comprising of lots 42 to 44 inclusive together with associated interconnecting conveyors and control systems

42	Pneumatic Scale 20-head twin sided inline bottling filling machine	machine, with infeed/outfeed conveyors, vacuum and delivery pumps, Cuno 5DCIN4EPFORJT50M 133323-01 spirit filter, Serial No. 46258 (1999), stainless steel 250 litre disgorge tank and valve sets
43	U G Closures and Plastics Single head capping machine	Single head capping machine with Zalkin ECT mobile stainless steel cap hopper and elevator, 3.3m Serial No. 1650 (1996), Zalkin U750 vibratory cap feeder Serial No. DC61007 (1996) s/n: 5HA59
44	Nortan Unicap 35R-DX Single head capsulator	Single head capsulator, 415/3/50 s/n: 351909
45	Bottling line 44	Bottling line 44 comprising lots 46 to 51 inclusive together with all associated interconnecting conveyors and control systems
46	Marryat Empty bottle de-palletiser	infeed conveyor and empty pallet roller conveyor; chain driven layer elevating and transfer with pneumatic clamping; Marryat 1250mm x 2500mm and 1250 x 2750mm unscrambling/discharge conveyor; Marryat Automation control console; Zepf UK safety enclosure, photo-electric machine guards. Asset nos. 43573, 146035; 8.5m single lane bottle conveyor
47	Perrier 24-head Rotary bottle rinsing machine	24-head Rotary bottle rinsing machine, with Zepf UK safety enclosures s/n: 1691
48	Pneumatic Scale 30-head rotary bottle filling machine	30-head rotary bottle filling machine, with Zepf UK safety enclosure; 140litre stainless steel disgorge tank; delivery pump; pneumatic valves; Domnick Hunter VSL053CR02 spirit filter
49	Krones Starmatic 16-head Rotary 2-station bottle labelling machine	Krones Yaxomat tax strip applicator with 10-head rotary tax-strip tamping turret and 1m vertical belt type label tamping conveyor s/n: 734103
50	PE Labellers Masters type 12T-825.45.4E 12-head rotary self adhesive label applicator	12-head rotary label applicator, 4-station / label with (4) Pack Lab M40DX150 self adhesive label preserver/applicators, Serial Nos. MA00064 (2000), MA00068 (2000), MA00062 (2000) and Siemens Simatic OP27 control s/n: KB602 yr: 2000
51	Case packing	Case packing comprising 10m empty case conveyor, part inclined; 3 level manual packing station with outfeed driven roller conveyor; Kanepack 82/3701 Centa Line automatic throughfeed case sealing machine s/n: FA/G/1274 yr: 1983
55	Complete palletising installation	Complete palletising installation comprising lots 56, 57 and 58 with all expanded steel operator platforms, walkway and access stairways, 10.8m full pallet 3-chain marshalling conveyor asset no 135672 with pallet feed conveyors TP51, TP54 and TP57 yr: 2002

56	No. 1 Palletising plant	twin chain infeed (CC10) and pallet de-stacker (DP11) asset no 35572, 3.3m twin chain pallet transfer conveyor (CC12), 3.3m twin chain pallet transfer conveyor (CC13), 3.15m twin chain pallet transfer conveyor (CC14), 3.5m twin chain pallet transfer conveyor (CC15), 5.5m sectional driven roller pallet transfer conveyor (TP44), Simade model Cermex automatic case laner, Serial No. 85 with 400mm x 1100mm infeed belt conveyor, (2) 500mm x 4.3m part driven part gravity roller conveyors each with 500 x 850mm belt conveyor (feeding palletiser), Cermex type PA432.25 automatic case palletiser, pallet sizes 800 x 1200mm and 1000 x 1200mm, 1800mm max. pallet height Serial No. 33160 (2002) 415/3/50, with Siemens touch screen Simatic controls, photo electric safety guards and sensors, 7.7m driven roller full pallet outfeed conveyor (TP55 and 56), Asset Nos. 35572, 39968, 66639, 39979, 39970, 39969, 39827, 39718, 35572. Note: this lot specifically excludes expanded steel operators platforms, access stairways and steel safety enclosures yr: 2002
57	No. 2 Palletising plant	twin chain infeed (CC20), pallet de-stacker (DP21) Asset No. 35573 and 39969, 4.7m twin chain pallet transfer conveyor (CC22), 3.3m twin chain pallet transfer conveyor (CC23), 3.15m twin chain pallet transfer conveyor (CC24), 3.8m twin chain pallet transfer conveyor (CC25), 5.5m sectional driven roller pallet transfer conveyor (TP42), 3.3m driven roller pallet transfer conveyor (TP43), Simade model Cermex automatic case laner, Serial No. 87 with 400 x 1100mm infeed belt conveyor, (2) 500mm x 4.3m part driven part gravity roller conveyor each with 500 x 850mm belt conveyor (feeding palletiser), Cermex type P432-25 automatic case palletiser, pallet sizes 800 x 1200mm and 1000 x 1200mm 1800 max. pallet height, Serial No. 33162 (2002) 415/3/50, with Siemens Simatic touch screen control, photo electric machine guards and sensors; 4.4m driven roller full pallet outfeed conveyor (TP52 and 53), Asset Nos. 45063, 39979, 35620. Note: this lot specifically excludes expanded steel operators platforms, access stairways and steel safety enclosures yr: 2002
58	No. 3 Palletising plant	No. 3 Palletising plant comprising: empty pallet magazine with twin chain pallet infeed (CC30), pallet destacker (DP31), Asset No. 35574, 3.3m twin chain pallet transfer conveyor (CC32), 3.3m twin chain pallet transfer conveyor (CC33), 3.15m twin chain pallet transfer conveyor (CC34), 3.5m twin chain pallet transfer conveyor (CC35), 5.5m sectional driven roller pallet transfer conveyor, 6.6m driven roller pallet transfer conveyor (TP41), Simade model Cermex automatic case laner Serial No. 86 with 400 x 1100mm infeed belt conveyor, (2) part driven part gravity roller conveyors each with 500 x 850mm belt conveyor (feeding palletiser), Cermex type PA432.25 automatic case palletiser, pallet sizes 800 x 1200mm and 1000 x 1200mm, 1800mm max. pallet height, Serial No. 33164 (2002) 415/3/50, with Siemens Simatic touch screen control, photo electric machine guards and sensors, Asset Nos. 35574, 35573, 35572. Note: this lot specifically excludes expanded steel operators platforms, access
59	Pallet stretch wrapping installation	Pallet stretchwrapping installation comprising of lots 60 to 62 inclusive yr: 2002

60	ITW Mima Packaging Systems Octopus 1800 SFTS Automatic pallet stretch wrapping machine	sectional driven roller pallet conveyor, Sick photo electric machine guards and sensors and Siemens plc. Control s/n: 322903001 yr: 2002
61	ITW Mima Packaging Systems Octopus 1800 SFTS Automatic pallet stretch wrapping machine	sectional driven roller pallet conveyor, Sick photo electric machine guards and sensors and Siemens plc. Control s/n: 322903101 yr: 2002
62	Cermex Wrapped pallet marshalling	Wrapped pallet marshalling, comprising: 3-chain conveyors 16.7m total length, CC71, CC72, CC73, CC78, CC79 and CC80, driven roller conveyors, 21.2m total length, TP70, TP74, TP75, TP76, TP77, TP81, TP83, TP84, TP85, TP87, TP82 yr: 2002
63	Ambaflex SV-400-1300 Spiral case elevator, 4.6m lift	Spiral case elevator, 4.6m lift s/n: 4544-01 yr: 2005
64	Ambaflex SV-400-1300 Spiral case elevator, 2.5m lift	Spiral case elevator, 2.5m lift s/n: 2711-03 yr: 2003
65	Ambaflex SV-400-1300 Spiral case elevator, 2.5m lift	Spiral case elevator, 2.5m lift s/n: 2711-04 yr: 2003
66	Ambaflex SV-400-1300 Spiral case elevator, 2.5m lift	Spiral case elevator, 2.5m lift s/n: 295-01 yr: 2003
67	Ambaflex SV-400-1300 Spiral case elevator, 2.5m lift	Spiral case elevator, 2.5m lift s/n: 2711-07 yr: 2003
68	High level case conveying system	including Transnorm and Siemens conveyors, 90 deg. and 180 deg. bends
69	Stork SA-25L Case erector	Case erector, 415/3/50 s/n: 03255604 yr: 1988
70	Cartoning line	Cartoning line comprising of lots 71-74 inclusive
71	Britannia Lift EU/10/8-7 750kg SWL pallet lift turntable	750kg SWL pallet lift turntable s/n: 951121-4 yr: 1995
72	Jacob White Series R300 Cartoning machine	Cartoning machine s/n: R3205-1
73	Cermex E754 Combined case erecting and stuffing machine	L2-1 infeed conveyor Serial No. 9641 (1995), Nordson Problue 7 1022232A hot melt glue applicator Serial No. 5A03B01308 Telemacanique controls and outfeed roller conveyor s/n: 45845 yr: 1995
74	Britannia Lift EU/10/8-7 750kg SWL pallet lift turntable	750kg SWL pallet lift turntable s/n: 951121-3 yr: 1995
75	Cartoning line	Cartoning line comprising of lots 76-79 inclusive
76	Britannia Lift EU/10/8-7 750kg SWL pallet lift turntable	750kg SWL pallet lift turntable s/n: 951121-2 yr: 1995
77	Jacob White Series R300 Cartoning machine	Cartoning machine
78	Cermex E754 Combined case erecting and stuffing machine	L1-1 infeed conveyor Serial No. 9641 (1995), Nordson Problue 7 1022232A hot melt glue applicator Serial No. 5A07A35085 Telemacanique controls and outfeed roller conveyor s/n: 45844 yr: 1995
79	Britannia Lift EU/10/8-7 750kg SWL pallet lift turntable	750kg SWL pallet lift turntable s/n: 951121-1 yr: 1995
80	Vickers (4) 400mm Throat pedestal wire stitchers	(4) 400mm Throat pedestal wire stitchers

81	Marryat Empty bottle de-palletiser	infeed conveyor and outfeed empty pallet roller conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; 1200mm x 2700 unscrambling table and 4.3m single lane conveyor; Mattyat Automation control console; Zepf UK safety enclosure, photo electric guards;
82	Marryat Empty bottle de-palletiser	Empty bottle de-palletiser comprising: triple chain 2,750mm between centres pallet infeed conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; Mattyat Automation control console; Zepf UK safety enclosure, photo electric guards;
83	Marryat Line 40 de-palletiser	infeed conveyor and outfeed empty pallet roller conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; 1600mm x 1600mm unscrambling table and single lane conveyor; Mattyat Automation control console; Zepf UK safety enclosure, photo electric guards;
84	Marryat Empty bottle de-palletiser	infeed conveyor and outfeed empty pallet roller conveyor; chain driven layer elevating transfer hoist with pneumatic clamping; Marryat 1250 x 2500 unscrambling conveyor; 1200mm x 2700 unscrambling table and 4.3m single lane conveyor; Integrated Control Solutions control console; Zepf UK safety enclosure, photo electric guards;
85	Cermex Palletising installation	magazine and pallet destacker (CP132, CP134, CP136), each with 5.6m 2-part twin chain pallet transfer conveyors (CC1 and CC2) (CC3 and CC4) (CC5 and CC6) with Sick C2000 photo electric guards; Marceau 20m empty pallet shuttle conveyor with twin chain pallet load/offload (TB7); Cermex type P432 automatic case palletiser, Serial Nos. 36344, 38646, 38638 (2006) pallet sizes 800x1200mm & 1000x1200mm with twin lane infeed belt conveyors, Siemens Simatic multi panel touch screen control; Marceau full pallet tandem shuttle conveyor with triple chain offload, Marceau 9m sectional triple chain full pallet transfer conveyors Marceau 6.3m sectional driven roller outfeed conveyors TF47, TF48, TF49, Cermex type P433.25 automatic case palletiser Serial Nos. 38636 and 38645 (2006) with twin lane infeed belt conveyors, Siemens Simatic multipanel touch screen control, Marceau full pallet tandem shuttle conveyor with triple chain offloading, Marceau 9m sectional triple chain full pallet transfer conveyors, Marceau 6.3m sectional driven roller outfeed
86	Ambaflex SV-400-1300 Spiral case elevator	Spiral case elevator, 2.4m lift s/n: 5232-01 yr: 2006
87	Ambaflex SV-400-1300 Spiral case elevator	Spiral case elevator, 2.4m lift s/n: 8227-03 yr: 2008
88	Ambaflex SV-400-1300 Spiral case elevator	Spiral case elevator, 2.4m lift s/n: 8227-02 yr: 2008
89	Approx. 120m of overhead case transport conveyor	Approx. 120m of overhead case transport conveyor
90	Line 45 Case Sealing	Line 45 Case sealing comprising lots 91 & 92

91	Kanepack Centa-Line Spec CEA LINE Case sealing machine	Automatic throughfeed carton/case sealing machine, with Nordson Problue 7 1022232A hot melt glue applicator Serial No. SA07A35086 s/n: 87/3936 yr: 1987
92	John White & Son Cartomat 625K Automatic case weigher	Automatic case weigher and reject device, roller conveyor platforms with 180 deg. Driven roller conveyor infeed, inclined belt conveyor outfeed and gravity roller conveyor
93	Mapex Flo-Flo Fill level detector	Automatic throughfeed fill level detector with Mapex control console s/n: M00-140
94	Splatt Engineering Bottle inverter and pneumatic rinser	mounted pneumatic bottle rinsing device (bottle upright in, bottle upright out)
95	Kardex / Bellheimer Shuttle 1250x825 Parts storage and retrieval carousel	Vertical carousel type parts storage and retrieval system, 2 x 10000kg capacity, 250kg per carrier s/n: 97.009045/001 yr: 1997
96	Line 38 empty case conveying	Line 38 empty case conveyor system comprising: Ambaflex type SV-400-1800, 2.4m spiral case elevator, Serial No. 1761-01 (2002) with approx 100m overhead case conveyor yr: 2002
97	Sidel / Cermex 387 71 Automatic case erector	control, Unixu 5m sectional out feed conveyor, Nordson ProBlue 7 1022232A hot melt glue applicator, Serial No. SA05C17475, and operator platform. (Machine Supplied 2008, uninstalled, as new) s/n: 38588 yr: 2008
100	Williams Modular cold room	Modular cold room, approx. 15m3 capacity, -2 deg. C to +4 deg. C
101	Falcon 3-deck gas fired oven	3-deck gas fired oven each deck 900 x 600 x 225mm
102	Hobart BRG200 Gas fired hot water boiler	Gas fired hot water boiler and steam generator s/n: 97-0185-317 yr: 1997
103	Hobart BMG4BO Gas fired 4-ring range with oven	Gas fired 4-ring range with oven under s/n: 0630278
104	Hobart BMG4BO Gas fired 4-ring range with oven	Gas fired 4-ring range with oven under s/n: 0630279
105	Falcon Gas fired boiling pan	Gas fired boiling pan with water feed
106	Moffat GOW190N Gas fired bain marie	Gas fired bain marie s/n: 99140
107	Hobart TSCGMBP Gas fired brat pan	Gas fired brat pan s/n: 0619832
108	Hobart TSCGMBP Gas fired brat pan	Gas fired brat pan s/n: 0615361
109	Falcon 900 series type G9522 Gas fired salamander grill	Gas fired salamander grill on unit stand s/n: F267373
110	Falcon 900 series type G9522 Gas fired salamander grill	Gas fired salamander grill on unit stand s/n: F267369
111	Stainless steel cased gas fired oven	Stainless steel cased gas fired oven, 270 deg. C max.
112	Stainless steel cased gas fired oven	Stainless steel cased gas fired oven, 270 deg. C max.
113	Hobart (Wolf) WCSL1012LAE Electric steaming oven	Electric steaming oven, 18kW with water spray on unit stand, 400/3/50 s/n: 81.844.384
114	Hobart (Wolf) WCSL1012LAE Electric steaming oven	Electric steaming oven, 18kW with water spray on unit stand, 400/3/50 s/n: 81.844.383
115	Foster BC20 Blast chiller/freezer	Blast chiller/freezer, refrigerant R404A s/n: E5098458
116	Foster PROG600L-A Stainless steel single door freezer	Stainless steel single door freezer, -18 deg. C / -21 deg. C s/n: E5198359
117	Panasonic Pro II NE-3280 Industrial catering microwave oven	Stainless steel cased industrial catering microwave oven
118	Falcon Gas fired deep fat fryer	Single basket gas fired deep fat fryer

119	Falcon Gas fired deep fat fryer	Single basket gas fired deep fat fryer
120	Pitco Frialator Gas fired deep fat fryer	Twin basket gas fired deep fat fryer s/n: G91EBO7618
121	Robot Coupe R602VV Food processor	Food processor
122	IMC 1204 Waste disposal unit	Waste disposal unit
123	Hobart T6128 Potato peeling machine	Potato peeling machine s/n: 97023687
124	(6) Stainless steel sinks	(6) various stainless steel sinks including singles, doubles and trebles, single and double drainer (all stainless steel sinks within the kitchen and prep areas).
125	(15) Stainless steel tables	(15) Various stainless steel tables within the kitchen and prep areas excluding machine/equipment stands
126	Metro (14) 3 and 4 tier catering racks	(14) 3 and 4 tier catering racks within kitchen, prep and freezer room areas
127	Large quantity of assorted pots, pans, trays and utensils	Large quantity of assorted pots, pans, trays and utensils, excluding equipment specific components
129	Idesign/Counterline Stainless steel restaurant serving counter	Stainless steel restaurant serving counter with Moffat twin plate warmer, 1750mm ceramic top hot plate, tray rail and serve over
130	Idesign/Counterline Stainless steel restaurant serving counter	warmer, twin section heated bain marie, tray rail and part serve over
131	Idesign/Counterline Stainless steel restaurant serving counter	Stainless steel restaurant serving counter with twin soup urn warming station, Moffat twin plate warmer, 1750mm ceramic top hot plate, tray rail and serve over
132	Idesign/Counterline Stainless steel restaurant serving counter	Stainless steel restaurant serving counter with Moffat twin plate warmer, 1750mm ceramic top hot plate, 5-tier glass shelved confectionery display unit, stepped tray rail and serve over
133	King Edward CL/OV-50 Baked potato	Baked potato oven, 240/1/50 s/n: 2068
134	Idesign/Counterline Double sided stainless steel topped restaurant self service counter	counter with (2) soup urn warming bains, (4) plate warmer/stackers, (2) 1400mm refrigerated bain maires and twin tray rails
135	Idesign/Counterline Cash register / cutlery and condiment stand/counter with tray rail	Cash register / cutlery and condiment stand/counter with tray rail
136	Idesign/Counterline Cash register / cutlery and condiment stand/counter with tray rail	Cash register / cutlery and condiment stand/counter with tray rail
137	Idesign/Counterline Cash register / cutlery and condiment stand/counter with tray rail	Cash register / cutlery and condiment stand/counter with tray rail
138	Uniwell 5X-7505 Commodity cash	Commodity cash register s/n: A700505048
139	Uniwell 5X-7505 Commodity cash	Commodity cash register s/n: A70505052
140	Cidelcem Cidelveyor Horizontal tray conveyor	3m horizontal restaurant tray return conveyor
141	Hobart FD3/150 Waste disposal unit	Waste disposal unit, with 2.9m stainless steel waste feed stand s/n: 27-1167-859
142	Hobart CNR-EW Stainless steel throughfeed diswashing machine	Stainless steel throughfeed diswashing machine, with tray infeed/outfeed s/n: 86461315

143	Stainless steel sinks and tables within wash-up area	stainless steel double sink with drainer, stainless steel draining sink, stainless steel table and stainless steel counter unit with tray rail under
201	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metals mild steel glass lined horizontally mounted tank vat with stainless steel front man hole entry used for spirit storage. Capacity 8909 gals, tank no. 19, order no. 64543 s/n: 2
202	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metals mild steel glass lined horizontally mounted tank vat with stainless steel front man hole entry used for spirit storage. Capacity 8909 gals, tank no. 18, order no. 64543 s/n: 4
203	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metals mild steel glass lined horizontally mounted tank vat with stainless steel front man hole entry used for spirit storage. Capacity 8909 gals, tank no. 20, order no. 64543 s/n: 3
204	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metals mild steel glass lined horizontally mounted tank vat with stainless steel front man hole entry used for spirit storage. Capacity 8909 gals, tank no. 21, order no. 64543 s/n: 1
205	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metals mild steel glass lined horizontally mounted tank vat used for spirit storage. Capacity 4928 gals, tank no. 19, order no. 64542 s/n: 1
206	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 2, order no. 10776 s/n: 2
207	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 1, order no. 10776 s/n: 1
208	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 5, order no. 10776 s/n: 4
209	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 6, order no. 10776 s/n: 8
210	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 11, order no. 10776 s/n: 2
211	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 13 s/n: 3
212	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 8909 gals, tank no. 15, order no. 18017 s/n: 1
213	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 3, order no. 10775 s/n:
214	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 4, order no. 10775 s/n: 1
215	Pfudler Pfudler mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 7, order no. 10775 s/n: 4

216	Pfaunder Pfaunder mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 8, order no. 10775 s/n: 2
217	Pfaunder Pfaunder mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 9, order no. 10775 s/n: 5
218	Pfaunder Pfaunder mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 10, order no. 10775 s/n: 6
219	Pfaunder Pfaunder mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 12, order no. 10775 s/n: 2
220	Pfaunder Pfaunder mild steel glass lined horizontal tank	Enamelled metal products mild steel glass lined horizontally mounted tank vat with front entry man hole door used for spirit storage. Capacity 4928 gals, tank no. 14, order no. 10775 s/n: 1
221	Pfaunder Pfaunder mild steel glass lined vertical tank	Enamelled metal products mild steel glass lined vertically mounted tank vat with top entry man hole door. Capacity 500 gals, order no. 64544, note: height includes legs
222	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 23, order no. 68000 s/n: 4
223	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 23, order no. 68000 s/n: 3
224	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 26, order no. 68000 s/n: 1
225	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 29, order no. 68000 s/n: 2
226	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 30, order no. 68000 s/n: 6
227	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 31, order no. 68099 s/n: 7
228	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 33, order no. 68099 s/n: 6

229	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 34, order no. 68099 s/n: 4
230	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 37, order no. 68099 s/n: 5
231	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 38, order no. 68099 s/n: 2
232	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 36, order no. 68099 s/n: 8
233	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 36, order no. 68099 s/n: 3
234	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 32, order no. 68099 s/n: 1
235	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 28, order no. 68000 s/n: 3
236	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 27, order no. 68000 s/n: 7
237	Pfaunder Pfaunder mild steel glass lined horizontal tank	mounted tank vat with front entry man hole access, 1 front flange and 4 top mounted flanges used for storing spirit. Glass specification 2811. Capacity 12,180 gals, tank no. 24, order no. 68000 s/n: 8
238	Pfaunder Pfaunder mild steel glass lined vertical tank	mounted tank vat on legs with top entry man hole access, top mounted flanges used for storing spirit. Glass specification 2811. Capacity 1,133 gals, order no. 68024, note: height includes legs s/n: 1
239	Pfaunder Pfaunder mild steel glass lined vertical tank	Enamelled metal products mild steel glass lined vertically mounted tank vat on legs with top entry man hole access, top mounted flanges used for storing spirit. Capacity 2,848 gals, tank no. 40, order no. 68138, note: height includes legs
240	Pfaunder Pfaunder mild steel glass lined vertical tank	Enamelled metal products mild steel glass lined vertically mounted tank vat on legs with top entry man hole access, top mounted flanges used for storing spirit. Capacity 2,848 gals, tank no. 40, order no. 68138, note: height includes legs

241	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 25,000 litres, tank no. RCV1
242	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 25,000 litres, tank no. RCV2
243	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV3
244	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV4
245	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV5
246	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV6
247	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV7
248	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV8
249	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV9
250	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access used for storing spirit, reducing and colouring. Capacity 45,000 litres, tank no. RCV10
251	Unbadged stainless steel vertical tank	Stainless steel vertically mounted tank vat with top entry man hole access and flange used for storing spirit, reducing and colouring. Capacity 4500 litres, tank no.
252	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV10
253	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV9
254	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV8
255	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV7
256	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV5

257	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV6
258	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV4
259	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 45,000 litres, tank no. VAT BWV3
260	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 25,000 litres, tank no. VAT BWV1
261	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 25,000 litres, tank no. VAT BWV2
262	Unbadged jacketed stainless steel vertical tank	Stainless steel jacketed vertically mounted tank vat with lower front entry man hole access used for storing filtered spirit. Capacity 4,500 litres, tank no. VAT BWV11
263	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT7. As lotted.
264	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT6. As lotted.
265	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT8. As lotted.
266	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT2. As lotted.
267	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT4. As lotted.
268	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT5. As lotted.

269	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT3. As lotted.
270	Quarryknowe McCall Munro Fabrications Custom made stainless steel storage tank	measurement of contents, with top entry man hole access, Hastelloy flame arrester vent, sample tap, drain top and filling line. Welded onto a dedicated platform for the use of transportation by fork lift truck. Capacity approx. 800 bulk litres. Used for the storage of spirit. Tank no. KTT1. As lotted.
271	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
272	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
273	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, Hastelby vent, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
274	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
275	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
276	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
277	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.

278	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
279	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
280	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
281	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
282	J E Cockayne Limited Stainless steel tank with automatic filling/pumping system	comprising of locakable operators control panel, push button Beaver 25 diaphragm pump and associated ball valves, pilot valves and tubing, top entry man hole access, mounted on a dedicated platform for fork lift use only. Used to store spirits. Capacity 1,000 litres.
283	Ucon Containersysteme UN31A/1/01.05/CH/EHGI-468/UCON/1/8100/2250 Stainless steel tank	Stainless steel tank with top entry man hole access, mounted in dedicated transport cradle/frame mild steel, for pallet truck and fork lift truck complete with lifting eyes, capacity 1,000 litres, 10 bar s/n: 200 253
284	Ucon Containersysteme UN31A/1/01.05/CH/EHGI-468/UCON/1/8100/2250 Stainless steel tank	Stainless steel tank with top entry man hole access, mounted in dedicated transport cradle/frame mild steel, for pallet truck and fork lift truck complete with lifting eyes, capacity 1,000 litres, 10 bar s/n: 200 251
285	Ucon Containersysteme UN31A/1/01.05/CH/EHGI-468/UCON/1/8100/2250 Stainless steel tank	Stainless steel tank with top entry man hole access, mounted in dedicated transport cradle/frame mild steel, for pallet truck and fork lift truck complete with lifting eyes, capacity 1,000 litres, 10 bar s/n: 200 845
286	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 20. As lotted.
287	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 24. As lotted.
288	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 22. As lotted.
289	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 29. As lotted.

290	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 27. As lotted.
291	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 23. As lotted.
292	Schafer Container Systems Mild steel tank	Mild steel tank with top entry man hole entry and discharge valve at bottom, with dedicated lifting cradle for pallet truck or fork truck. Capacity 1,000 litres, tank no. 25. As lotted.
293	Ucon Containersysteme UN31A/1/01.05/CH/EHGI-468/UCON/ 1/8100/2250 Stainless steel tank	Stainless steel tank with top entry man hole access, mounted in dedicated transport cradle/frame mild steel, for pallet truck and fork lift truck complete with lifting eyes, capacity 1,000 litres, 10 bar s/n: 200 203
294	Ucon Containersysteme UN31A/1/01.05/CH/EHGI-468/UCON/ 1/8100/2250 Stainless steel tank	dedicated transport cradle/frame mild steel, for pallet truck and fork lift truck complete with lifting eyes, capacity 1,000 litres, 10 bar s/n: 200 848
295	Unbadged stainless steel tank	Stainless steel tank with top entry man hole access, used for storing spirits, with dedicated lifting platform. Capacity approx. 800 litres, tank no. TV6
296	Shobwood Engineering 4398 Stainless steel vertical tank	Stainless steel vertically mounted buffer tank with top entry man hole access and (2) flange in/out openings and a 6inch glass viewing port on side, capacity approx. 1,000 litres, complete with Blagdon diaphragm pump and Brook Hansen AEF90L2 motor/and P4500 priming pump, includes all associated pipework and valves/controls, tank no. T5801. As lotted. yr: 1999
297	Stainless steel tank	Stainless steel vertically mounted tank on legs with front and top entry man hole access, (7) top mounted blank flanges, (2) side mounted flanges, fitted with Silverson GX10 stirrer comprising of Brook Compton moto AE1328D 295-1450rpm and a (5) rod stirrer, used for reducing and colouring for spirits, tank no. RCV12
298	Normand and Thomson Stainless steel tank	man hole access , top mounted flange, (2) side mounted flanges, fitted with Transkem stirrer complete with Brook Compton motor, used for reducing and colouring for spirits, tank no. RCV 13 yr: 1994
299	Viking MXC HI Bladder tank	Mild steel tank used for sprinkler system, capacity 1,750 litres, working pressure 12bar, working temperature -10 to +50 deg. C s/n: 25205 yr: 2005
300	Hoval Farrar Boilers Limited Blue steel horizontal air receiver tank	Blue steel horizontally mounted air receiver tank, complete with gauges, 11.4bar s/n: 8WP yr: 1977
301	Hoval Farrar Boilers Limited Blue steel horizontal air receiver tank	Blue steel horizontally mounted air receiver tank, complete with gauges, 11.4bar s/n: 48340 yr: 1981

302	Complete filtration plant	Complete filtration plant comprising of (1) Cockayne turbidity panel PLC for plant, (2) stainless steel Cuno Filters, (1) Brook Hansen AEF11 2M2D 2890rpm pump system, (1) stainless steel intermediate tank and gauges, (2) Amazon filters 1BF1B 14 litre 10 bar stainless steel filter packs (1) Alfa Laval M6 F1TC 11.7 litre 18 bar heat exchanger, (2) stainless steel Cuno filters AN 29819, configured to filter spirits at 40 litres p/h, complete with all associated pipework, filters, pressure gauges, valves, actuators and electrical panels. Designed for the filtration of spirits, commissioned/unused
303	Bron & Luebbe Limited Alcohol reduction system	bulk filtration alcohol reduction system comprising of: (1) Orange J8501 push button control panel, (1) intermediate tank, (2) MDM pumps in stainless steel enclosure, (1) APV HMBL 4.2bar heat exchanger, complete with all associated pipework, filters, pressure gauges and valves. The filtration system is not complete. As lotted
304	APV HMBL Heat exchanger	Heat exchanger, 4.2 bar s/n: 1127
305	APV HMBL Heat exchanger	Heat exchanger, 4.2 bar s/n: 1125
306	Alfa Laval Lund AB M15-BFM8 Heat exchanger	Heat exchanger, capacity 107 litres, 13 bar, temperature -10 to +50 deg. C s/n: 32879 yr: 2003
307	Alfa Laval Lund AB M15-BFM8 Heat exchanger	Heat exchanger, capacity 107 litres, 13 bar, temperature -10 to +50 deg. C s/n: 32878 yr: 2003
308	Alfa Laval M15 BFG8 Heat exchanger	Heat exchanger, capacity 41 litres, 13 bar, -10 to +50 deg. C s/n: 32881 yr: 2003
309	Alfa Laval M15 BFG8 Heat exchanger	Heat exchanger, capacity 41 litres, 13 bar, -10 to +50 deg. C s/n: 32880 yr: 2003
310	Alfa Laval M10 MFM Heat exchanger	Heat exchanger, capacity 5 litres, 13 bar, -10 to +50 deg. C s/n: 32876 yr: 2003
311	Alfa Laval M10 MFM Heat exchanger	Heat exchanger, capacity 5 litres, 13 bar, -10 to +50 deg. C s/n: 32877 yr: 2003
312	Alfa Laval P13 HB Heat exchanger	Heat exchanger s/n: 2233 3311
313	Worthington Simpson - ABB 40CP 250 Centrifugal pump	Centrifugal pump with ABB M3JP 11kWmotor, 415V, 50Hz @ 2942rpm, on skid. As lotted.
314	Worthington Simpson - ABB 40CP 250 Centrifugal pump	Centrifugal pump with ABB M3JP 11kWmotor, 415V, 50Hz @ 2942rpm, on skid. As lotted.
315	Worthington Simpson - ABB 40CP 250 Centrifugal pump	Centrifugal pump with ABB M3JP 11kWmotor, 415V, 50Hz @ 2942rpm, on skid. As lotted.
316	Worthington Simpson - ABB 40CP 250 Centrifugal pump	Centrifugal pump with ABB M3JP 11kWmotor, 415V, 50Hz @ 2942rpm, on skid. As lotted.
317	Worthington Simpson - ABB 40CP 250 Centrifugal pump	Centrifugal pump with ABB M3JP 11kWmotor, 415V, 50Hz @ 2942rpm, on skid. As lotted.
318	Worthington Simpson - ABB 65 CP125 Centrifugal pump	Centrifugal pump with ABB M2JA motor, 415V, 50Hz, on skid
319	Worthington Simpson - ABB 65 CP125 Centrifugal pump	Centrifugal pump with ABB M2JA motor, 415V, 50Hz, on skid
320	Worthington Simpson - ABB 65 CP125 Centrifugal pump	Centrifugal pump with ABB M2JA motor, 415V, 50Hz, on skid
321	Worthington Simpson - ABB 65 CP125 Centrifugal pump	Centrifugal pump with ABB M2JA motor, 415V, 50Hz, on skid

322	Worthington Simpson - ABB 32 CP125 Centrifugal pump	Centrifugal pump with ABB M2JA motor, 415V, 50Hz, on skid
323	Blagdon Beaver 25 (4) Diaphragm	(4) Diaphragm pumps. As lotted.
325	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
326	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
327	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
328	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
329	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
330	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
331	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
332	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
333	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
334	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
335	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA, made in UK. As lotted.
336	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 5718
337	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 5717
338	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02762

339	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02747
340	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02748
341	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02746
342	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05714
343	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05713
344	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02804
345	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02825
346	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02752
347	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05711
348	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 0709
349	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05708
350	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02816
351	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02807
352	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05710
353	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05715

354	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05716
355	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 027755
356	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02753
357	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02754
358	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 02749
359	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted. s/n: 05712
360	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted.
361	GEC Elliott Process Instrumentation Limited 2520 Level Master Tank gauge in flame proof enclosure	Tank gauge in flame proof enclosure, 240V, 50/60Hz, 25VA. As lotted.
395	Air receiver no. 3	Mild steel vertically mounted air receiver, working pressure 100lbs. As lotted.
396	Air receiver no. 1	Horizontally mounted air receiver with man hole access on top and associated gauges, working pressure 100lbs psi. As lotted.
399	Air receiver no. 2	Horizontally mounted air receiver with man hole access on top and associated gauges, working pressure 100lbs psi. As lotted.
400	B & E Boilers Limited Steam boiler with Hamworthy combustion air system	Steam boiler, horizontally mounted with Hamworthy combustion air system, product no. 390101445, air cone dia. 16.25, pressure 100psi, capacity 6,350kg, boiler no. 2 s/n: 2854 yr: 1984
401	B & E Boilers Limited Steam boiler with Hamworthy combustion air system	Steam boiler, horizontally mounted with Hamworthy combustion air system, product no. 390101445, air cone dia. 16.25, pressure 100psi, capacity 6,350kg, boiler no. 1 s/n: 2853 yr: 1984
402	B & E Boilers Limited Steam boiler	Steam boiler, boiler no. 3 Need more info from asset no. 35274 or CCPK 035500
403	Thompson Cochran Wee Chieftain AJTC32505 Steam boiler	Wee Chieftain steam boiler, 1126kW, 3960lbs/ph, working pressure 1.04 N/mm2 s/n: 05170004/4 yr: 1975
404	Dale Electric EM4 154 DD Skid mounted standby generator	Skid mounted standby generator, with Dorman engine 154 kVA, 1500rpm, 123.2kW, has run 408 approx. 415/240V, made in England complete with stand alone console s/n: 15311

405	Clarke TK6HLPP60 Skid mounted fire pump diesel engine system	Skid mounted fire pump diesel engine system, comprising of: Clarke Diesel internal combustion engine for driving centrifugal rated @ 175-2000rpm hours run 133, pumps and SPP ID15A centrifugal pump rated @ 4928 l/min, 2585rpm, 6.95bar, complete with Clarke fire pump controller with digital display and (40) battery cells s/n: 0522037 yr: 2005
406	Clarke TK6HLPP60 Skid mounted fire pump diesel engine system	Skid mounted fire pump diesel engine system, comprising of: Clarke Diesel internal combustion engine for driving centrifugal rated @ 175-2000rpm hours run 189, pumps and SPP ID15A centrifugal pump rated @ 4928 l/min, 2585rpm, 6.95bar, complete with Clarke fire pump controller with digital display and (40) battery cells s/n: 0512030/1A yr: 2005
407	Electrodrives Limited BS5000-00 AC Induction motor	AC Induction motor, size 013250, 2870rpm, 7.5kW, 380-415V, 50Hz s/n: V99330008
408	Motivair 32605 Air compressor and receiver	Air compressor and receiver, 12bar, capacity 340litres s/n: 27200 yr: 1980
409	Honkison Internatonal HES2250 SPX Air treatment compressed air dryer	SPX Air treatment compressed air dryer, R404A refrigerant, 25bar, 380V, 420V, 50Hz, 5,18kW s/n: 402042 yr: 2003
410	Denco Miller Limited Mistral Compressed air dryer	Compressed air dryer, complete with gauges and air purity analyser s/n: LHB017
411	Hoval Farrar Limited Mild steel air receiver	Mild steel air receiver, design code BS5169 class 2 grade C, 6.9bar, with top access man hole s/n: 46961
412	Bromwade VMD750 Air compressor	Air compressor, bore 14.25inch and 8.5inch stroke 7.0inch, rpm 735, pressure 100psi with Compair welded air receiver, 311 litres, 6.3bar and Brook Compton D3155 motor, 132 kW, 1475rpm, made in England s/n: H031/0696
413	Bromwade VMD750 Air compressor	Air compressor, bore 14.25inch and 8.5inch stroke 7.0inch, rpm 735, pressure 100psi with Compair welded air receiver, 311 litres, 6.3bar and Brook Compton D3155 motor, 132 kW, 1475rpm, made in England s/n: H031/0697
414	Bromwade VMD500 Air compressor	Air compressor, bore 12inc, and 7.25inch, stroke 7inch, rpm 735, 100psi, with Bromwade welded air receiver, 90 psi, complete with Flowpak induction motor, made in UK s/n: H011 1182
415	Bromwade VMD500 Air compressor	Air compressor, bore 12inc, and 7.25inch, stroke 7inch, rpm 735, 100psi, with Bromwade welded air receiver, 90 psi, Flowpak induction motor, made in UK s/n: HH394079
416	Bromwade VMD4000 Air compressor	Air compressor, bore 12inc, and 7.25inch, stroke 7inch, rpm 735, 100psi, with Bromwade welded air receiver, 90 psi, Flowpak induction motor, made in UK s/n: H011 2282
417	J+E Hall Whiskey attemperation plant	Whiskey attemperation plant, comprising lots 418 to 424 inclusive together with all interconnecting pipework, valves, regulators, controls, vessels and eletrical connections
418	J+E Hall 6-cylinder refrigerant compressor	6-cylinder refrigerant compressor, (5inch bore, 4inch stroke each cylinder), with 120Hp motor drive, integral base mounted shell and tube condenser (refrigerant R22) s/n: 45252-260-101
419	J+E Hall 6-cylinder refrigerant compressor	6-cylinder refrigerant compressor, (5inch bore, 4inch stroke each cylinder), with 120Hp motor drive s/n: 45252-260-102

420	J+E Hall 6-cylinder refrigerant compressor	6-cylinder refrigerant compressor, (5inch bore, 4inch stroke each cylinder), with 120Hp motor drive, integral base mounted shell and tube condenser (refrigerant R22) s/n: 45252-260-104
421	J+E Hall 6-cylinder refrigerant compressor	6-cylinder refrigerant compressor, (5inch bore, 4inch stroke each cylinder), with 125Hp motor drive, integral base mounted shell and tube condenser (refrigerant R22) s/n: 45252-260-107
422	J+E Hall 6-cylinder refrigerant compressor	6-cylinder refrigerant compressor, (5inch bore, 4inch stroke each cylinder), integral base mounted shell and tube condenser (refrigerant R22) s/n: 45253-272-137
423	(10) centrifugal glycerol pump sets	(10) centrifugal glycerol pump sets, each 15Hp motor drive
424	(7) centrifugal glycerol pump sets	(7) centrifugal glycerol pump sets, each with 15kW motor drive and Danfoss VLT 6000 HVAC power factor correction unit
431	HB Persen Bollegraf SA30-800/900 Compactor bailer	Compactor bailer, push button control, 415V, 50Hz, made in Holland s/n: 88-302
432	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T03. As lotted.
433	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T01. As lotted.
434	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T02. As lotted.
435	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T06. As lotted.
436	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T07. As lotted.
437	Stainless steel raw water tank	Stainless steel raw water tank, horizontally mounted with top man hole access and ladder gantry platform, capacity 20,000 litres, tank no. T08. As lotted.
438	Hanovia 84388 UV 500 DSP Complete water IV system	Complete water IV system, comprising of (1) 77B48 UV detection box x2, (1) dity standby system, (2) UV lamps, mounted on dedicated frame, 240V, 50Hz, 1700W, 7.8A. As lotted
439	Custom made flavouring system	Custom made flavouring system, comprising of stainless steel tank, capacity approx. 500 litres, Sew centrifugal pump, control push button control panel, mounte on dedicated frame. As lotted. (Caramel and container not included)
440	Lowara HTS 40 200/75 Centrifugal pump system	24-40m ³ /h, 2900 rpm Centrifugal pump system, fitted with Hansen HADF132MH 7.5kW motor, 2900rpm and Vogel pumen digital display monitor. As lotted.
441	Lowara HTS 40 200/75 Centrifugal pump system	24-40m ³ /h, 2900 rpm Centrifugal pump system, fitted with Hansen HADF132MH 7.5kW motor, 2900rpm and Vogel pumen digital display monitor. As lotted.
442	Lowara HTS 40 200/75 Centrifugal pump system	24-40m ³ /h, 2900 rpm Centrifugal pump system, fitted with Hansen HADF132MH 7.5kW motor, 2900rpm and Vogel pumen digital display monitor. As lotted.

443	Lowara HTS 32/160/55 Centrifugal pump	12-35 m3/h centrifugal pump with Brook Hansen HADF1326AH motor, 5.5kW, 9.5A, 2890rpm, 415V, 50Hz. As lotted.
444	Lowara HTS 32/160/55 Centrifugal pump	12-35 m3/h centrifugal pump with Brook Hansen HADF1326AH motor, 5.5kW, 9.5A, 2890rpm, 415V, 50Hz. As lotted.
445	Lowara HTS 32/160/55 Centrifugal pump	12-35 m3/h centrifugal pump with Brook Hansen HADF1326AH motor, 5.5kW, 9.5A, 2890rpm, 415V, 50Hz. As lotted.
446	Hilge SIPLA Bloc 28 Mobile bilge pump	Mobile bilge pump, 12.5kW, 240V, 50Hz s/n: P044793
447	Ingersol Rand Euro Compressor	Euro Compressor, complete with Brook Compton series 10 moto and welded air receiver, 16.5bar, capacity 150litres s/n: 1654
448	Cuno 12NDC2 23400-1 (2) Filters	Filters, material INOX315L, 10bar, 110 deg. C. As lotted yr: 1995
449	Power Equipment Ennan 6100 series Ride on floor scrubber	Ride on floor scrubber, battery powered with charger, 36Volts s/n: 000895 yr: 2004
450	Wetrok Duomatic 800 Floor scrubber	01010
451	Perrier/Stork Rinser, filler capper bloc	Rinser, filler capper bloc comprising of Perrier/Stork 24 head pneumatic bottle ringing machine serial no. W401, Stork Bepak VS40/12 filling and capping machine, 40 head rotary filler, 12 head Zalkin rotary capper with vibratory cap feeder Serial No. 2127740, 415V, 50Hz, decommissioned for crating and shipping
452	Cermex Grouping and shrink wrapping line	with conveyor infeed, Cermex single lane feeder, Cermex continuous motion over wrapper, with Allen Bradley plc, Nordsen series 3400V hot melt glue applicator, 415V, 50Hz, AN 40036, Cermex shrink wrap tunnel, 600mm x 400xx aperture with cooling zone and infeed over wrapping
453	Cermex Automatic case erector	Automatic case erector with Nordson 3500V series hot melt glue applicator, 415V, 50Hz
454	Ocme D162-L Automatic sweep depalletizer	Automatic sweep palletizer, infeed pallet conveyor, sweep depalletizing, discharge/unscrambling conveyor, empty pallet stacking magazine, control panel, machine guards and associated conveyor s/n: 1/182/98 yr: 1999
455	Krones Automatic modular bottle labelling and tax strip applicator	Automatic modular bottle labelling and tax strip applicator, comprising of Krones Topmodul 30-head rotary bottle labeller/container table with 4 label station docking points, (6) Krones type K602 mobile plc controlled gummed label stations with module docking clamps Serial Nos. K602-045, K602-046, K602-047, K602-049, K602-050, K602-042 (all 2003), (3) Krones K605 mobile plc controlled self adhesive label stations with module docking clamps, Serial Nos. K605-602 (2005), K605-601 (2005), K605-015 (2003), Krones Taxomat tax strip applicator with 12-head rotary tamping device, Krones container table servo-driven control system (machine currently dismantled) s/n: 407-
456	Zalkin 6-head rotary capping machine	6-head rotary capping machine with pneumatic adjustable cap slide and Zepf safety guards, 415V, 50Hz. As lotted.
457	Nortan Multicap 120C-5X Capsulator/colarrette	Capsulator/colarrette s/n: 120.058
458	Krones/Kosme Star ADH 8TS1E1 16-head rotary self adhesive label	16-head rotary self adhesive label applicator, 4-station with 2 spare heads, 415V, 50Hz s/n: 161216TS5E4S yr: 1995
459	Krones Starmatic 16-head rotary labeller	16-head rotary labeller, 2-station with Krones Taxomat tax strip applicator, 10-head tamping and Krones Labelcheck, label scanner, 415V, 50Hz s/n: 82-388 yr: 1988

460	Perrier MFLA-G28/8 28-head rotary pneumatic bottle rinsing machine	28-head rotary pneumatic bottle rinsing machine, 415V, 50Hz s/n: 2291 yr: 1995
461	Gestec 10-head rotary bottle orientator	10-head rotary bottle orientator, with Nec Vox control systems and Siemens Simatic touch screen plc, 415V, 50Hz
462	PE Universal Universal S 9T.825.3S.3E 9-head rotary 3-station self adhesive labelling machine	9-head rotary 3-station self adhesive labelling machine, 415V, 50Hz s/n: KB533 yr: 2000
463	Pneumatic Scale RF183 18-head rotary filler	18-head rotary filler, easy flow, 415V, 50Hz s/n: 18-900
464	Perrier MFLA/G/21/6 21-Head rotary pneumatic bottle rinsing machine	21-Head rotary pneumatic bottle rinsing machine s/n: 2410 yr: 1997
465	UC Closures and Plastics 4-head rotary capping machine	4-head rotary capping machine, with Zalkin vibratory cap feeder, 415V, 50Hz s/n: FHA-34
466	Ambaflex SV-400-1300 2.4m Spiral case elevator	2.4m Spiral case elevator s/n: 2711-06 yr: 2003
467	Ambaflex SV-400-1300 2.4m Spiral case elevator	2.4m Spiral case elevator s/n: 2711-01 yr: 2003
468	Ambaflex SV-400-1300 4.5m Spiral case elevator	4.5m Spiral case elevator s/n: 2214-01 yr: 2002

Please note that final rigging and removal charges will be listed in the completed catalog